

ZYXEL

**Zyxel XGS1935-28-EU0101F network switch Managed L2+/L3
Gigabit Ethernet (10/100/1000) 1U Black**

Brand : Zyxel

Product code: XGS1935-28-EU0101F

Product name : XGS1935-28-EU0101F

XGS1935-28 - 24-port GbE Lite-L3 Smart Managed Switch met 4x 10G Uplink, EU

[Zyxel XGS1935-28-EU0101F network switch Managed L2+/L3 Gigabit Ethernet \(10/100/1000\) 1U Black:](#)

The most affordable choice for 10G migration

The XGS1930 series, a new 10G uplink smart managed switch, comes with a stylish new look and enables cloud manageability with Zyxel NebulaFlex™ technology.

Built for convenience

This smart-looking switch features an intuitive design that simplifies daily network management for SMBs.

Manage it your way!

The XGS1930 series introduces Zyxel NebulaFlex™, which allows you to easily switch between standalone mode and our license-free Nebula cloud management platform anytime with just a few simple clicks.


Don't overspend to upgrade your wired network

With Gigabit connectivity plus four 10G uplinks, the XGS1930 series is ideal for those seeking to upgrade to an easier-to-manage network—and at an affordable price.



Management features		Design	
Switch type *	Managed	Stackable *	✓
Switch layer	L2+/L3	Form factor	1U
Quality of Service (QoS) support	✓	Product colour	Black
Web-based management	✓	LED indicators	✓
Cloud-managed	✓	Performance	
Traffic classification	✓	Memory type	RAM / Flash
Traffic shaping	✓	Internal memory	512 MB
ARP inspection	✓	Flash memory	32 MB
Configuring Location Settings (CLI)	✓	Power	
System event log	✓	Power source *	AC
Ports & interfaces		Power supply included *	✓
Basic switching RJ-45 Ethernet ports quantity *	24	AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	AC input frequency	50/60 Hz
SFP+ module slots quantity	4	Power consumption (typical)	11.5 W
Network		Power consumption (max)	23.2 W
Networking standards *		Power over Ethernet (PoE)	
10G support *	✓	Power over Ethernet (PoE) *	✗
VLAN support	✓	Operational conditions	
Data transmission		Operating temperature (T-T)	-20 - 50 °C
Switching capacity *	128 Gbit/s	Storage temperature (T-T)	-40 - 70 °C
Forwarding rate	95.2 Mpps	Operating relative humidity (H-H)	10 - 90%
		Weight & dimensions	
		Width	440 mm
		Depth	270 mm
		Height	433 mm

Data transmission		Weight & dimensions	
MAC address table *	16000 entries	Weight	3.1 kg
Jumbo frames support	✓	Packaging content	
Jumbo frames	9000	Cables included	AC
Packet buffer memory	1.5 MB	Rack mount kit	✓
Security		Packaging data	
DHCP features	DHCP client, DHCP relay	Package width	508 mm
IGMP snooping	✓	Package depth	394 mm
Multicast features		Package height	90 mm
Multicast support	✓	Package weight	4.58 kg
Design		Logistics data	
Rack mounting *	✓	Country of origin	China



4718937636297

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.