

Yealink SIP-T53W IP phone Grey 8 lines LCD Wi-Fi



Brand : Yealink

Product code: 1301087

Product name : SIP-T53W

3.7" LCD, BT 4.2, Wi-Fi, USB, HD

Yealink SIP-T53W. Product type: IP mobile phone, Product colour: Grey, Handset type: Wired handset.

Dual-Tone Multi-Frequency (DTMF) modes: In-band, Out-of band, SIP info. Lines quantity: 8 lines,

Phonebook capacity: 1000 entries. Volume control: Buttons. Display: LCD, Display diagonal: 9.4 cm

(3.7"), Display resolution: 360 x 160 pixels

Design		Audio	
Product type *	IP mobile phone	Speakerphone *	✓
Handset type	Wired handset	Microphone mute	✓
Product colour *	Grey	Voice codecs	G.722, G.723.1, G.726, G.729A, G.729B, OPUS, iLBC
Keypad illumination	✓	Voice activity detection	✓
Device lock	✓	Adaptive jitter buffers	✓
Wall mountable	✓	Automatic gain control	✓
Mounting	Desk/Wall	Comfort noise generation (CNG)	✓
Performance		Packet loss concealment (PLC)	✓
DECT connectable	✓	Network	
Dual-Tone Multi-Frequency (DTMF) modes	In-band, Out-of band, SIP info	Ethernet LAN *	✓
Phone features		Ethernet LAN interface type	Gigabit Ethernet
Lines quantity *	8 lines	Wi-Fi *	✓
Answering machine	✓	Wi-Fi standards	802.11a, 802.11g, Wi-Fi 4 (802.11n)
Call waiting	✓	Bluetooth *	✓
Speed dialling	✓	Bluetooth version	4.2
Call hold	✓	Supported network protocols	FTP/TFTP/HTTP/HTTPS
Call forwarding	✓	Quality of Service (QoS) support	✓
Conference call	✓	Security algorithms	AES, HTTPS, SIPS
Redialing	✓	Networking standards	IEEE 802.1p, IEEE 802.1x, IEEE 802.3af
Caller ID *	✓	Ports & interfaces	
Phonebook capacity *	1000 entries	USB 2.0 ports quantity	1
Number of VoIP accounts *	12	Ethernet LAN (RJ-45) ports	2
Do not disturb function	✓	RJ-9 ports quantity	2
Call park	✓	DC-in jack	✓
Call pick up	✓	Power	
Anonymous call	✓	Power over Ethernet (PoE) *	✓
Anonymous call rejection	✓	AC adapter input voltage	100 - 240 V
Full duplex	✓	AC adapter output voltage	5 V
Short Message Service (SMS)	✓	AC adapter output current	1.2 A
Phonebook sharing	✓	Power consumption (typical)	2.3 W
Call return	✓	Operational conditions	
Call transfer	✓	Operating temperature (T-T)	0 - 40 °C
Call history	✓	Operating relative humidity (H-H)	10 - 95%
Management features		Storage temperature (T-T)	-30 - 70 °C
Integrated voicemail	✓	Weight & dimensions	
Volume control	Buttons	Width	212 mm
Number of programmable keys	8	Depth	210.6 mm


Display		Weight & dimensions	
Display	LCD	Height	174.5 mm
Display diagonal	9.4 cm (3.7")	Packaging content	
Display resolution	360 x 160 pixels	Quick start guide	✓
Touchscreen *	✗	Number of handles included *	1 pc(s)
Backlight display	✓	Number of DECT wireless handsets	4
Camera		Cables included	LAN (RJ-45)
Front camera	✗		



0841885104311



841885104311



6938818303188



5715063213056

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.