

Logitech Rally Bar Mini

Brand : Logitech

Product code: 991-000388

Product name : Rally Bar Mini



Rally Bar Mini


Logitech Rally Bar Mini. HD type: 4K Ultra HD, Supported video modes: 576p, 720p, 900p, 1440p, 2160p, Maximum frame rate: 30 fps. Digital zoom: 4x. Ethernet LAN, Wi-Fi. Display: IPS, Display diagonal: 25.6 cm (10.1"), Display resolution: 1280 x 800 pixels. Product colour: Graphite

Performance		Features	
Product colour *	Graphite	Telepresence *	✗
Pan range	-25 - 25°	Motion sensor	✓
Tilt angle range	-15 - 15°	Cable lock slot	✓
PTZ control	✓	Cable lock slot type	Kensington
Video		Logistics data	
HD type *	4K Ultra HD	Master (outer) case gross weight	8.87 kg
Maximum video resolution *	3840 x 2160 pixels	Master (outer) case length	808 mm
Supported video modes	576p, 720p, 900p, 1440p, 2160p	Master (outer) case width	258 mm
Maximum frame rate	30 fps	Master (outer) case height	302 mm
Audio		Battery	
Built-in speaker(s)	✓	Battery capacity	0.675 Wh
Output level	92/99 dB	Computer system	
Line-out impedance	4 Ω	Windows operating systems supported	✓
Output voltage Total Harmonic Distortion (THD)	2%	Mac operating systems supported	MacOS
Audio beamforming	✓	System requirements	
Noise reduction	✓	Minimum system requirements	Internet Connection: Wired or wireless USB Mode: Windows 11, Windows 10, the two most recent versions of macOS Appliance Mode: Room solution software licence (not included)
Echo cancellation	✓		
RMS rated power	8 W		
Microphone pick-up range	4.5 m	Operational conditions	
Sample rates	0 - 48 kHz	Operating temperature (T-T)	0 - 40 °C
Driver diameter	7 cm	Operating relative humidity (H-H)	10 - 95%
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
HDMI ports quantity	3	Heat dissipation	64 BTU/h
HDMI output ports quantity	2	Power	
HDMI input ports quantity	1	Power source type	AC
USB connector type	USB Type-A, USB Type-C	AC input voltage	100 - 240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Current	4.74 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	DC input voltage	19 V
DC-in jack	✓	Battery technology	Lithium
Microphone in	✓	Battery capacity	220 mAh
Network		Number of batteries supported	1
Ethernet LAN *	✓	Power plug type	Type C
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Wi-Fi	✓	Interface module dimensions (W x D x H)	246.2 x 171.3 x 56.1 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Interface module weight	1 kg
Supported network protocols	IPv4, IPv6	Width	719 mm
Security algorithms	128-bit AES		

Camera		Weight & dimensions	
Zoom capability	✓	Depth	101 mm
Digital zoom	4x	Height	91.4 mm
Horizontal field of view	113°	Weight	4.03 kg
Vertical field of view	80.7°	Packaging data	
Diagonal field of view	120°	Package width	252 mm
Remote control interface	Bluetooth	Package depth	802 mm
Display		Package height	289 mm
Display	IPS	Package weight	8.87 kg
Display diagonal	25.6 cm (10.1")	Packaging content	
Display resolution	1280 x 800 pixels	Cables included	AC, DC, HDMI, USB Type-A to USB Type-C
Contrast ratio (typical)	1000:1	Power cable length	1.5 m
Touchscreen	✓	HDMI cable length	2 m
Touchscreen type	Capacitive	AC adapter included	✓
Viewing angle, horizontal	85°	Mounting kit	✓
Viewing angle, vertical	85°	Remote control included	✓
Display brightness	400 cd/m²	Camera included	✓
Oleophobic coating	✓	Batteries included	✓
Microphone		Quick start guide	✓
Microphone sensitivity	-36 dB	Logitech Rally Bar Mini video bar Rally Bar Mini Power supply Cables Lens caps Remote control User documentation Logitech Tap IP touch controller Tap IP VESA mounting screws (4) Microfiber Cloth Documentation	
Microphone frequency	90 - 16000 Hz		
Microphone direction type	Omnidirectional		
Sound pressure level (max)	90 dB		
Number of microphones	6		
		Packaging content	



5099206102132



(01)50992061021313

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAY-2026. Prints or copies of Information are only valid on the printed Publication date