

Ricoh ScanSnap SV600 Overhead scanner 285 x 218 DPI A3 Black, White


Brand : Ricoh

Product code: PA03641-B301

Product name : ScanSnap SV600

ScanSnap SV600 - 1x CCD, 2x White LED, USB 2.0, 20W, ±1.5%, 3kg

Ricoh ScanSnap SV600. Maximum scan size: 432 x 300 mm, Optical scanning resolution: 285 x 218 DPI, Black/white scanning colour modes: Grayscale, Monochrome. Scanner type: Overhead scanner, Product colour: Black, White. Sensor type: CCD, Light source: White LED (2x). Maximum ISO A-series paper size: A3, Scanning media types supported: Business Card, Post Card(JPN), ISO A-series sizes (A0...A9): A3, A4, A5, A6. Socket connector type: C7, Standard interfaces: USB 1.1, USB 2.0



Scanning		Packaging content	
Maximum scan size *	432 x 300 mm	Bundled software	Nuance Power PDF (Win) Nuance Power PDF Converter (Mac)
Optical scanning resolution *	285 x 218 DPI	Sustainability	
Colour scanning	✓		
Duplex scanning *	✗	Sustainability certificates	ENERGY STAR
Film scanning	✗		
Black/white scanning colour modes	Grayscale, Monochrome		
Design			
Scanner type *	Overhead scanner		
Product colour *	Black, White		
Built-in display *	✗		
Performance			
Sensor type *	CCD		
Light source	White LED (2x)		
Paper handling			
Scanning media types supported	Business Card, Post Card(JPN)		
Maximum ISO A-series paper size *	A3		
ISO A-series sizes (A0...A9)	A3, A4, A5, A6		
ISO B-series sizes (B0...B9)	B4, B5, B6		
Letter	✓		
Legal	✓		
Ports & interfaces			
USB port *	✓		
USB version	2.0		
Socket connector type	C7		
Standard interfaces	USB 1.1, USB 2.0		

Power		System requirements	
Power supply type *	AC		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional
Power consumption (typical)	20 W		
Power consumption (standby)	2.6 W		
Power consumption (off)	0.4 W		
AC input frequency	50 - 60 Hz		
Input voltage	100-240 V		
Weight & dimensions		Windows operating systems supported	
Width	210 mm		
Depth	156 mm		
Height	383 mm		
Weight	3 kg		
Packaging data			
Quantity per pack	1 pc(s)		
Package width	301 mm		
Package depth	500 mm		
Package height	365 mm		
Package weight	6.5 kg		
Packaging content			
Cables included	AC		
AC adapter included	✔		
Operational conditions			
Operating temperature (T-T)		5 - 35 °C	
Operating relative humidity (H-H)		20 - 80%	
Certificates			
Green (Eco) compliant		✔	
Other features			
Scan time		3 s	
Minimum scan size		25.4 x 25.4 mm	
Media thickness		30 mm	
Automatic colour mode detection		✔	
Vertical optical scanning resolution (min)		152 DPI	
Vertical optical scanning resolution (max)		283 DPI	
Horizontal optical scanning resolution (max)		285 DPI	
Horizontal optical scanning resolution (min)		218 DPI	
Vertical scanning magnification		±1.5%%	
Compliance certificates		RoHS	
Logistics data			
Country of origin		China	
Pallet gross length		101.6 cm	
Pallet gross width		121.9 cm	
Harmonized System (HS) code		8471607000	
Paper packaging weight		2.4 kg	
Metal packaging weight		0 g	
Wood packaging weight		0 g	
Plastic packaging weight		15 g	
Products per pallet (air)		24 pc(s)	

Logistics data

Products per pallet (sea)	40 pc(s)
Pallet height (sea)	197.5 cm
Pallet height (air)	124.5 cm
Cardboard packaging weight	1.2 kg
Foil packaging weight	15 g
Polystyrene (EPS/EPP) packaging weight	200 g
Glass packaging weight	0 g



4939761308734



4058154030714



4939761305412

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.