



Canon EOS R7 MILC Body 32.5 MP CMOS 6960 x 4640 pixels Black

Brand : Canon

Product family: EOS

Product code: 5137C003

Product name : R7

Canon EOS R7. Camera type: MILC Body, Megapixel (approx.): 32.5 MP, Sensor type: CMOS, Maximum image resolution: 6960 x 4640 pixels. ISO sensitivity (max): 51200. Fastest camera shutter speed: 1/8000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.49 cm (2.95"). Viewfinder type: Electronic. PictBridge. Weight: 530 g. Product colour: Black



Picture quality		Viewfinder	
Camera type *	MILC Body	Magnification	1.15x
Megapixel (approx.) *	32.5 MP	Viewfinder frame rate (power saving mode)	59.94 fps
Sensor type *	CMOS	Viewfinder frame rate (smooth mode)	119.98 fps
Maximum image resolution *	6960 x 4640 pixels	Viewfinder information	AF method, AF operation, AF point information, Anti-flicker shooting, Aperture, Aspect ratio, Auto Lighting Optimizer, Battery level, Bluetooth function, Digital Lens Optimizer, Drive mode, Electronic level, Exposure compensation, Exposure level indicator, Exposure simulation, FE lock, FEB, Flash off, Flash-ready, Focus distance scale, Grid, HDR shooting, High-speed sync, Histogram, ISO speed, Image Quality, Lens information, Maximum burst, Metering mode, Multi Shot Noise Reduction, Multi-function lock warning, Multiple-exposure shooting, Number of remaining multiple exposures, Number of self-timer shooting, Picture Style, Shooting mode, Shutter speed, White balance, White balance correction
Still image resolution(s) *	RAW/ C-Raw: 3:2 ratio 6960x4640 JPEG/ HEIF: 3:2 ratio (L) 6960x4640, (M) 4800x3200, (S1) 3472x2320, (S2) 2400x1600 4:3 ratio (L) 6160x4640, (M) 4256x3200, (S1) 3072x2320, (S2) 2112x1600 16:9 ratio (L) 6960x3904, (M) 4800x2688, (S1) 3472x1952, (S2) 2400x1344 1:1 ratio (L) 4640x4640, (M) 3200x3200, (S1) 2320x2320, (S2) 1600x1600		
Image stabilizer *	✓		
Supported aspect ratios	3:2		
Total megapixels	34.4 MP		
Image formats supported *	C-Raw, HEIF, JPEG, Raw		
Focusing		Ports & interfaces	
Focus adjustment *	Auto/Manual	PictBridge *	✓
Focusing system	Dual Pixel CMOS AF II	USB version *	3.2 Gen 2 (3.1 Gen 2)
Auto focusing (AF) modes *	AI Focus, Single Auto Focus	HDMI *	✓
Auto Focus (AF) object detection	Animal, Bird, Eye, Face, People, Vehicle	HDMI connector type	Micro
Face tracking	✓	Microphone in	✓
Auto Focus (AF) points selection	Auto, Manual	Headphone outputs	1
Auto Focus (AF) area (auto selection) (horizontal/vertical)	100/100%	Headphone connectivity	3.5 mm
Auto Focus (AF) area (manual selection) (horizontal/vertical)	90/100%		
Auto Focus (AF) number of areas (auto selection)	651		
Auto Focus (AF) points manual selection	AF point expansion 4 points, Flexible zone AF 1-3		
Exposure			
ISO sensitivity (min) *	100		
ISO sensitivity (max) *	51200		

Exposure		Network		
Light exposure modes *	Auto, Manual	Bluetooth *	✓	
Light exposure correction *	± 3EV (1/3EV step)	Bluetooth version	4.2	
Light metering *	Centre-weighted, Partial, Spot	Wi-Fi *	✓	
Auto Exposure (AE) lock	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	
Auto Exposure (AE) locking (manual)	AE lock button (P, Av, Fv, Tv, M modes)	Near Field Communication (NFC) *	✗	
Exposure bracketing (AEB)	± 3EV (1/2EV; 1/3EV stop)	Camera		
Anti-flicker shooting	✓	White balance *	Auto	
Flicker detection frequency	100 - 120 Hz	White balance compensation (Blue/Amber)	±9	
Shutter		White balance compensation (Magenta/Green)	±9	
Fastest camera shutter speed *	1/8000 s	Custom white balance	✓	
Slowest camera shutter speed *	30 s	Number of custom white balance settings	5	
Camera shutter type	Electronic	Scene modes *	Auto, Landscape, Monochrome, Portrait, Standard, User defined	
Camera shutter speed (mechanical)	30-1/8000 s	Shooting modes *	Auto, Manual	
Camera shutter speed (bulb electronic)	30-1/16000 s	Photo effects *	Black&White, Neutral	
Shutter release type	Electromagnetic	Self-timer delay *	2,10 s	
Flash		Camera playback	Movie, Single image	
Flash modes *	Second curtain synchro	Multi burst mode	✓	
Flash exposure lock	✓	Dioptrre correction	✓	
Flash sync-speed	1/250 s	Dioptr adjustment (D-D)	-4 - 2	
Flash exposure compensation	✓	Languages support	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian, Vietnamese	
Flash exposure correction	±3EV (1/2; 1/3 EV step)			
Flash exposure bracketing	✓			
Brand specific flash systems	E-TTL II (Canon)			
Video				
Video recording *	✓	Multi-shot		✓
Maximum video resolution *	3840 x 2160 pixels	High Dynamic Range (HDR) supported		✓
HD type *	4K Ultra HD	Colour space supported		RGB
Video resolutions	1920 x 1080,3840 x 2160 pixels	Multiple exposure	✓	
Motion JPEG frame rate	30 fps	RAW image processing	✓	
Resolution at capture speed	1920x1080@25fps,	Playback zoom (min)	1.5x	
	1920x1080@29.97fps,	Playback zoom number of steps	15	
	1920x1080@50fps,	Histogram options	Brightness, RGB	
	1920x1080@60fps,	Tripod mounting supported *	✓	
Video recording ISO sensitivity (auto)	100-12800, H: 25600	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1	
Video recording ISO sensitivity (manual)	100-12800, H: 16000-25600	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 12.0 Monterey	
Audio		Design		
Built-in microphone *	✓	Product colour *	Black	
Built-in speaker(s)	✓	Dustproof	✓	
Voice recording	✓	Waterproof	✓	
Memory		Battery		
Compatible memory cards *	SD, SDHC, SDXC	Battery technology *	Lithium-Ion (Li-Ion)	
Memory slots	2	Battery type	LP-E6NH	
Display		Number of batteries supported	1	
Display *	TFT	Battery level indicator	✓	
Touchscreen *	✗	Battery level indicator number of levels	6	
Display diagonal *	7.49 cm (2.95")	Power		
Display diagonal (metric)	7.5 cm	USB Type-C charging port *	✓	
Display resolution	1024 x 768 pixels			
Display resolution	1620000 dot			
Viewing angle, horizontal	170°			
Viewing angle, vertical	170°			

Display		Power	
Display backlight	✓	USB Type-C required charging power (min) *	7.5 W
Viewfinder		USB Type-C required charging power (max) *	7.5 W
Viewfinder type	Electronic	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	0 - 85%
		Weight & dimensions	
		Width	132 mm
		Depth	91.7 mm
		Height	90.4 mm
		Weight	530 g
		Weight (including battery)	612 g
		Packaging content	
		AC adapter included *	✓
		Batteries included	✓
		Quick start guide	✓



4549292185447

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.