



D-Link DGS-1100-08P network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black

Brand : D-Link

Product code: DGS-1100-08P

Product name : DGS-1100-08P

DGS-1100-08P, EasySmart, 8-Port, Gigabit, PoE Switch
D-Link DGS-1100-08P. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 8000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3aq, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack. Power over Ethernet (PoE)



Management features		Operational conditions	
Switch type *	Managed	Storage relative humidity (H-H)	5 - 95%
Switch layer	L2	Weight & dimensions	
Ports & interfaces		Width	190 mm
Basic switching RJ-45 Ethernet ports quantity *	8	Depth	120 mm
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Height	28 mm
Power connector	DC-in jack	Weight	710 g
Network		Packaging data	
Networking standards *	IEEE 802.3ab, IEEE 802.3aq, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Package width	180 mm
VLAN support	✓	Package depth	210 mm
Virtual LAN features	Voice VLAN, Tagged VLAN, Port-based VLAN	Package height	74 mm
Data transmission		Package weight	1.09 kg
Switching capacity *	16 Gbit/s	Technical details	
Throughput	11.9 Mpps	Shipping (inner) case height	38.8 cm
MAC address table *	8000 entries	Shipping (inner) case width	39.7 cm
Jumbo frames support	✓	Shipping (inner) case length	44.6 cm
Jumbo frames	9216	Shipping (inner) case net weight	25.1 kg
Security		Products per shipping (inner) case	20 pc(s)
DHCP features	DHCP client	Pallet gross weight (air)	491.5 kg
Design		Master (outer) cases per pallet (air)	18 pc(s)
Rack mounting *	✗	Products per pallet (air)	360 pc(s)
Product colour	Black	Pallet gross length	110 cm
Reset button	✓	Pallet gross width	120 cm
LED indicators	✓	Pallet height (air)	129.9 cm
Safety	UL/cUL, CE LVD	Pallet gross weight (sea)	806.6 kg
Performance		Master (outer) cases per pallet (sea)	30 pc(s)
Flash memory	2 MB	Products per pallet (sea)	600 pc(s)
Power		Pallet height (sea)	2.08 m
AC input voltage	100 - 240 V	Shipping (inner) case gross weight	26.2 kg
AC input frequency	50 - 60 Hz	Certificates	
		Certification	• FCC Class A • CE Class A • VCCI Class A
		Logistics data	
		Harmonized System (HS) code	85176990

Power over Ethernet (PoE)

Power over Ethernet (PoE) * 

Operational conditions

Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 95%



0102931028129



102931028129



0790069397783



790069397783




0790069422614



790069422614



0790069387319



790069387319



0790069387272



790069387272

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.