


GIGABYTE B760M H V2 Motherboard - Supports Intel Core 14th Gen CPUs, 5+1+1 Phases Digital VRM, up to 8000MHz DDR5 (O.C.), 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen1



Brand : GIGABYTE

Product code: B760M H V2

Product name : B760M H V2 Motherboard - Supports Intel Core 14th Gen CPUs, 5+1+1 Phases Digital VRM, up to 8000MHz DDR5 (O.C.), 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen1

- Supports Intel Core 14th/ 13th /12th processors
- Unparalleled Performance: Hybrid 5+1+1 Phases VRM Solution
- Dual Channel DDR5: 2*DIMMs XMP Memory Module Support
- Next Generation Storage: PCIe 4.0 M.2 Connectors
- Fast Networks: GbE LAN
- EZ-Latch: PCIe x16 Slot with Quick Release Design
- Extended Connectivity: DP, HDMI
- Smart Fan 6: Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP


B760M H V2 Motherboard - Supports Intel Core 14th Gen CPUs, 5+1+1 Phases Digital VRM, up to 8000MHz DDR5 (O.C.), 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen1

GIGABYTE B760M H V2 Motherboard - Supports Intel Core 14th Gen CPUs, 5+1+1 Phases Digital VRM, up to 8000MHz DDR5 (O.C.), 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	1
Processor socket *	LGA 1700	Line-in	✓
Compatible processor series *	Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, Intel® Pentium® Gold	Microphone in	✓
	Network		
	Ethernet LAN	✓	
	Ethernet interface type	Gigabit Ethernet	
Supported processor sockets	LGA 1700	LAN controller	Realtek RTL8111H
		Wi-Fi *	✗
		Features	
Memory Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Unbuffered memory Maximum internal memory per slot		Motherboard chipset *	Intel B760 Express
		Audio chip	Realtek ALC897
		Audio output channels *	7.1 channels
		Product colour	Dark brown
		PC health monitoring	Fan, Temperature, Voltage, Water cooling
		Component for *	PC
		Motherboard form factor *	micro ATX
		Motherboard chipset family *	Intel
		Cooling type	Passive
		Power source type	ATX
		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Storage controllers Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported RAID support RAID levels		Expansion slots	
		PCI Express x1 (Gen 3.x) slots	1
		PCI Express x16 (Gen 4.x) slots	1
		Number of M.2 (M) slots	1
		1st M.2 largest key size	2280
		1st M.2 highest PCI Express generation	4.0
Graphics			
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2304 pixels		

Graphics		BIOS	
HDCP	✓	BIOS type *	UEFI AMI
HDCP version	2.3	BIOS memory size	128 Mbit
DirectX version	12.0	ACPI version	5.0
Internal I/O		Clear CMOS jumper	✓
USB 2.0 connectors *	1	Desktop Management Interface (DMI) version	2.7
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	System Management BIOS (SMBIOS) version	2.7
Number of SATA III connectors *	4	Logistics data	
Front panel audio connector	✓	Country of origin	China
Front panel connector	✓	Products per shipping (inner) case	1 pc(s)
ATX Power connector (24-pin)	✓	Battery	
CPU fan connector	✓	Battery weight	3 g
Number of CPU fan connectors	1	Lithium weight per battery	0.07 g
Number of chassis fan connectors	2	Number of battery cells	1
EPS power connector (8-pin)	✓	Battery capacity	220 mAh
Number of EPS power connectors (8-pin)	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
TPM connector	✓	Battery type	CR2032
Serial port headers	1	Packaging data	
12V power connector	✓	Package width	265 mm
RGB LED pin header	✓	Package depth	265 mm
Number of RGB LED pin headers	2	Package height	54 mm
Rear panel I/O ports		Package weight	850 g
USB 2.0 ports quantity *	4	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Width	244 mm
Ethernet LAN (RJ-45) ports *	1	Depth	220 mm
HDMI ports quantity *	1	Height	35 mm
HDMI version	2.1	Packaging content	
DisplayPorts quantity	1	Batteries included	✓
DisplayPort version	1.2	Screws included	✓
		Bundled software	Norton® Internet Security (OEM version)
		Other features	
		Weight	770 g
		Technical details	
		Warranty period	3 year(s)



4719331878054

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.