



AOC G4 C32G42ZE computer monitor 80 cm (31.5") 1920 x 1080 pixels Full HD LED Black, Red

Brand : AOC

Product family: G4

Product code: C32G42ZE

Product name : C32G42ZE

Screen size (inch) 31.5, Panel resolution 1920x1080, Max Refresh rate 260Hz (OC, 240Hz Native), Response time MPRT 0.3 ms, Panel type VA, HDMI HDMI 2.0 x 1, DisplayPort DisplayPort 1.4 x 1, Sync technology (VRR) Adaptive Sync

AOC G4 C32G42ZE computer monitor 80 cm (31.5") 1920 x 1080 pixels Full HD LED Black, Red:

Immerse yourself in smooth gameplay with the C32G42ZE, a curved 1500R monitor delivering 240Hz performance and vibrant visuals

The C32G42ZE Curved Gaming Monitor combines comfort and performance in a streamlined design. Its 1500R curve and VA panel provide deep contrast and a wide colour gamut for more immersive visuals. With a fast 240Hz refresh rate, 0.5ms MPRT, and AdaptiveSync, enjoy fluid, responsive action with minimal input lag. HDR10 support enhances brightness and detail, while G-Menu software offers easy customization.



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Height adjustment *	✗
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LED	Tilt angle range	-5 - 23°
Panel type *	VA		
LED backlight	✓	Power	
Backlight type	W-LED	Energy efficiency class (SDR) *	F
Touchscreen *	✗	Energy efficiency class (HDR) *	G
Display brightness (typical)	300 cd/m²	Energy consumption (SDR) per 1000 hours *	25 kWh
Response time *	4 ms	Energy consumption (HDR) per 1000 hours *	35 kWh
Response time measurement type	GTG (Gray to Gray)	Power consumption (typical) *	25 W
Response time (MPRT)	0.3 ms	Power consumption (standby) *	0.3 W
Anti-glare screen	✓	Power consumption (max)	46 W
Screen shape *	Curved	Power consumption (off)	0.3 W
Screen curvature rating	1500R	AC input voltage	100 - 240 V
Contrast ratio (typical) *	3500:1	AC input frequency	50/60 Hz
Dynamic contrast ratio marketing name	Mega DCR	Input current	1.5 A
Maximum refresh rate *	260 Hz	Power supply type	Internal
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours	Operational conditions	
Pixel pitch	69.93 x 69.93 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	0.36375 ppi	Storage temperature (T-T)	-25 - 55 °C
Viewable size, horizontal	69.8 cm	Operating relative humidity (H-H)	10 - 85%
Viewable size, vertical	39.3 cm	Storage relative humidity (H-H)	5 - 93%
Digital horizontal frequency	30 - 290 kHz	Operating altitude	0 - 5000 m
Digital vertical frequency	48 - 260 Hz	Non-operating altitude	0 - 12192 m
Display diagonal (metric)	80 cm		
		Weight & dimensions	
		Width (with stand)	709.4 mm

Display			Weight & dimensions	
High Dynamic Range (HDR) supported	✓		Depth (with stand)	239.9 mm
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		Height (with stand)	523.8 mm
Colour gamut standard	DCI-P3, NTSC, sRGB		Weight (with stand)	6.92 kg
sRGB coverage (typical)	118%		Width (without stand)	709.4 mm
NTSC coverage (typical)	93%		Depth (without stand)	94.6 mm
Adobe RGB coverage	87.7%		Height (without stand)	425.1 mm
DCI-P3 coverage	85%		Weight (without stand)	5.83 kg
Performance			Packaging data	
VESA Adaptive Sync support	✓		Package width	840 mm
Flicker-free technology	✓		Package depth	188 mm
Low Blue Light technology	✓		Package height	527 mm
Game mode	✓		Package weight	3.93 kg
Multimedia			Packaging content	
Built-in speaker(s) *	✗		Cables included	AC, HDMI, DisplayPort
Built-in camera *	✗		DisplayPort cable length	1.8 m
			HDMI cable length	1.8 m
Design			Other features	
Market positioning *	Gaming		Brand specific technologies	Crosshair
Product colour *	Black, Red		Low input lag	✓
Front bezel colour	Black		FPS counter	✓
			Dial point	✓
Ports & interfaces			Shadow control	✓
Built-in USB hub *	✗		Motion blur reduction	✓
HDMI *	✓		Local dimming	✓
HDMI ports quantity	1		Bezel thickness type	Frameless
HDMI version	2.0		Warranty period	3 year(s)
DisplayPorts quantity	1		Compliance certificates	CE
DisplayPort version	1.4			WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC
Audio output	✓		Certification	
Headphone out *	✓			
Headphone outputs	1			
HDCP	✓			
HDCP version	1.4/2.2			



4038986183093



6973985233371

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.