

NETGEAR GS324TPv2 Managed L2/L3 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Black

Brand : NETGEAR

Product code: GS324TP-200EUS

Product name : GS324TPv2



NETGEAR GS324TPv2. Switch type: Managed, Switch layer: L2/L3. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24. Full duplex. MAC address table: 16000 entries, Switching capacity: 52 Gbit/s. Networking standards: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Power over Ethernet (PoE). Rack mounting, Form factor: 1U

Management features		Design	
Switch type *	Managed	LED indicators	✓
Switch layer	L2/L3	Number of fans	2 fan(s)
Quality of Service (QoS) support	✓	Performance	
Web-based management	✓	Built-in processor	✓
ARP inspection	✓	Processor frequency	800 MHz
MIB support	✓	Memory type	RAM
Ports & interfaces		Internal memory	512 MB
Basic switching RJ-45 Ethernet ports quantity *	24	Flash memory	64 MB
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Noise level	26.1 dB
SFP module slots quantity	2	Power	
Network		Power source *	PoE
Networking standards *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
Port mirroring	✓	Power over Ethernet plus (PoE+) ports quantity	24
Full duplex	✓	Total Power over Ethernet (PoE) budget	190 W
Flow control support	✓	Other features	
Link aggregation	✓	Warranty period	3 year(s)
Broadcast storm control	✓	Operational conditions	
Rate limiting	✓	Operating temperature (T-T)	0 - 50 °C
Spanning tree protocol	✓	Storage temperature (T-T)	-20 - 70 °C
Auto-negotiation	✓	Operating relative humidity (H-H)	0 - 95%
VLAN support	✓	Storage relative humidity (H-H)	0 - 95%
Virtual LAN features	Port-based VLAN, Private VLAN, Voice VLAN	Operating altitude	0 - 3000 m
Number of VLANs	256	Weight & dimensions	
Data transmission		Width	440 mm
Switching capacity *	52 Gbit/s	Depth	253 mm
MAC address table *	16000 entries	Height	43 mm
Store-and-forward	✓	Weight	3.53 kg
		Packaging content	
		Quick start guide	✓

Data transmission		Packaging content	
Jumbo frames support	✓	User guide	✓
Packet buffer memory	1.5 MB	Manual	✓
Security		Technical details	
DHCP features	DHCP client	Shipping (inner) case height	38 cm
Access Control List (ACL)	✓	Shipping (inner) case width	56.7 cm
IGMP snooping	✓	Shipping (inner) case length	24.1 cm
Loop protection	✓	Shipping (inner) case net weight	10.9 kg
Multicast features		Products per shipping (inner) case	2 pc(s)
Multicast support	✓		
Design			
Rack mounting *	✓		
Form factor	1U		
Product colour	Black		



0606449175950



606449175950

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.