



AOC 24P4CV computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : AOC

Product code: 24P4CV

Product name : 24P4CV

Screen size (inch) 23.8, Panel resolution 1920x1080, Max Refresh rate 120 Hz, Panel type IPS, HDMI HDMI 1.4 x 1, DisplayPort DisplayPort 1.4 x 1 DisplayPort Out, Sync technology (VRR) Adaptive Sync

AOC 24P4CV computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black:

Maximize productivity with the 24P4CV 24" FHD monitor

The 24P4CV delivers a 24" FHD display with a 120Hz refresh rate and Hardware Anti-Blue Light for crisp, comfortable viewing. Featuring an integrated docking solution with 96W Power Delivery, a convenient pop-out USB hub, and versatile connectivity, it's the perfect monitor to simplify your workspace and boost efficiency.

AOC 24P4CV. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Headphone outputs	1
Display resolution *	1920 x 1080 pixels	Built-in KVM switch	✓
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	HDCP version	1.4/2.2
Display technology *	LED	Network	
Panel type *	IPS	Ethernet LAN	✓
LED backlight	✓	Ergonomics	
Backlight type	W-LED	VESA mounting *	✓
Touchscreen *	✗	Panel mounting interface	100 x 100 mm
Response time *	4 ms	Cable management	✓
Response time measurement type	GTG (Gray to Gray)	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Contrast ratio (typical) *	1500:1	Adjustable height (max)	15 cm
Contrast ratio (dynamic)	50000000:1	Pivot	✓
Maximum refresh rate *	120 Hz	Pivot angle	-90 - 90°
Viewing angle, horizontal	178°	Swivelling	✓
Viewing angle, vertical	178°	Swivel angle range	-180 - 180°
Display number of colours *	16.7 million colours	Tilt adjustment	✓
Pixel pitch	0.2745 x 0.2745 mm	Tilt angle range	-5 - 30°
Pixel density	92.56 ppi	Power	
Digital horizontal frequency	30 - 140 kHz	Energy efficiency class (SDR) *	D
Digital vertical frequency	48 - 120 Hz	Energy efficiency class (HDR) *	D
Display diagonal (metric)	60.4 cm	Energy consumption (SDR) per 1000 hours *	13 kWh
High Dynamic Range (HDR) supported	✓	Energy consumption (HDR) per 1000 hours *	14 kWh
Surface hardness	3H		
Colour gamut standard	sRGB		
sRGB coverage (typical)	110%		

Performance		Power	
NVIDIA G-SYNC *	✗	Power consumption (typical) *	21 W
AMD FreeSync *	✗	Power consumption (standby) *	0.3 W
VESA Adaptive Sync support	✓	Power consumption (off)	0.3 W
Flicker-free technology	✓	Power supply type	Internal
Low Blue Light technology	✓	Energy efficiency scale	A to G
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	542.4 mm
RMS rated power	4 W	Depth (with stand)	232.9 mm
Built-in speaker(s) *	✓	Height (with stand)	507.4 mm
Built-in camera *	✗	Weight (with stand)	5.47 kg
Design		Width (without stand)	542.4 mm
Market positioning *	Office	Depth (without stand)	51 mm
Product colour *	Black	Height (without stand)	320.2 mm
Front bezel colour	Black	Weight (without stand)	3.72 kg
Detachable stand	✓	Packaging data	
Ports & interfaces		Package width	650 mm
Built-in USB hub *	✓	Package depth	139 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Package height	455 mm
Number of USB Type-B upstream ports quantity	1	Package weight	7.2 kg
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery up to	96 W	Cables included	AC, HDMI, DisplayPort, USB Type-C
HDMI *	✓	DisplayPort cable length	1.8 m
HDMI ports quantity	1	HDMI cable length	1.8 m
HDMI version	1.4	Sustainability	
DisplayPorts quantity	1	Sustainability certificates	EPEAT Gold, TCO
DisplayPort out quantity	1	Doesn't contain	Mercury, PVC/BFR
DisplayPort version	1.4	Other features	
Audio output	✓	Local dimming	✓
Headphone out *	✓	Warranty period	5 year(s)
		Compliance certificates	CE
		Certification	WEEE, REACH compliant, RoHs compliant, HF, CB, EAC, FCC



4038986143172

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.