



Trust Maxo 65W 2-Port USB-C GaN Charger - Black EU

Compact and fast 2-port 65W USB-C GaN charger to charge two devices at once

Article number: 25525
Barcode: 8713439255256
GTIN: 08713439255256

Core content

Brand	Trust
Product type	65W 2-Port USB-C GaN Charger
Colour	Black
Plug country code	EU
Key features	- 2 USB-C ports allow you to charge up to two devices at once - Total power output of 65W can charge most phones and tablets at max speed* - GaN technology allows for high power output in an ultra-small form - Sustainable design made with 50% recycled plastics for a reduced environmental impact - Charge any smartphone, tablet or laptop** with a USB-C connection - Included 2m USB-C cable for convenient charging whenever, wherever - Safe charging: protects against overload, short-circuiting and overheating - Ideal travel charger: works with all wall power socket voltages worldwide (90-240V AC 60/50Hz) - *Charging speed varies between devices - **Please check your laptop specs for compatibility
Package contents	- USB-C charger - 2m USB-C cable - User Guide
System requirements	- Wall power

Marketing

Extended retailer text

Specifications

Plastic material	ABS/PC
Sustainability method	PCR
Total weight	169 g
Weight of main unit	129 g
Height of main product (in mm)	97 mm
Width of main product (in mm)	63 mm
Depth of main product (in mm)	30 mm
Number of USB ports	2
Accessories	USB-C charge cable
Cable length main cable	200 cm
Cables included	Yes
Protections	over-heat over-load short-circuit
Power plug type	EU
Power source	wall socket
Charging technology	USB PD 3.0 + PPS
Output voltage	5 9 15 20
Voltage setting	automatic
Total max output power (W)	65 Watt

Laptop voltage range	3 - 20 V
Compatible Device Types	laptop tablet smartphone

Main image

	25525_pictures_product_visual_1.tif ImageWidth: 5.000 px ImageHeight: 5.000 px ImageResolution: 300 dpi
---	---

Additional Product Images

	25525_pictures_product_visual_3.tif ImageWidth: 5.000 px ImageHeight: 5.000 px ImageResolution: 300 dpi
	25525_pictures_product_visual_2.tif ImageWidth: 5.000 px ImageHeight: 5.000 px ImageResolution: 300 dpi
	25525_pictures_product_top_1.tif ImageWidth: 5.000 px ImageHeight: 5.000 px ImageResolution: 300 dpi
	25525_pictures_product_top_2.tif ImageWidth: 5.000 px ImageHeight: 5.000 px ImageResolution: 300 dpi



25525_pictures_product_front_1.tif

ImageWidth: 5.000 px
ImageHeight: 5.000 px
ImageResolution: 300 dpi



25525_pictures_product_side_1.tif

ImageWidth: 5.000 px
ImageHeight: 5.000 px
ImageResolution: 300 dpi

Product Pictorials



25525_EN_pictures_product_pictorial_1.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi



25525_EN_pictures_product_pictorial_2.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi



25525_EN_pictures_product_pictorial_3.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi



25525_EN_pictures_product_pictorial_4.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi



25525_EN_pictures_product_pictorial_5.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi



25525_EN_pictures_product_pictorial_6.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi



25525_EN_pictures_product_pictorial_7.tif

ImageWidth: 4.000 px
ImageHeight: 4.000 px
ImageResolution: 300 dpi

Package Images



25525_pictures_package_visual_1.tif

ImageWidth: 5.000 px
ImageHeight: 5.000 px
ImageResolution: 300 dpi



25525_pictures_package_front_1.tif

ImageWidth: 1.510 px
ImageHeight: 1.996 px
ImageResolution: 300 dpi