

Verbatim USB-C Essentials Multiport Hub 6 ports: RJ45, HDMI, USB-C PD, 3 x USB-A 3.2 Gen 1

Brand : Verbatim

Product code: 32157

Product name : USB-C Essentials Multiport Hub 6 ports: RJ45, HDMI, USB-C PD, 3 x USB-A 3.2 Gen 1

USB-C Essentials Multiport Hub 6 ports: RJ45, HDMI, USB-C PD, 3 x USB-A 3.2 Gen 1

Verbatim USB-C Essentials Multiport Hub 6 ports: RJ45, HDMI, USB-C PD, 3 x USB-A 3.2 Gen 1:

Expand Your Network and Connections

Effortlessly convert a single USB-C® port into six diverse ports, including an RJ45 Ethernet, HDMI, USB-C PD 3.0 and multiple USB-A 3.2 Gen 1 ports. This hub is designed for users who need stable network access and extensive connectivity options.

Data Performance

Leverage USB 3.2 Gen 1 technology for fast data transfers up to 5Gb/s. The RJ45 Ethernet port ensures a reliable, high-speed internet connection up to 1Gb/s, ideal for uninterrupted online activities.

Exceptional Video Quality

Connect to a 4K display via the HDMI port for vivid and sharp visuals. Perfect for presentations, video conferences, or enjoying high-definition media, this hub delivers a superior viewing experience.

Ports & interfaces		System requirements	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Other operating systems supported	Android
Hub interfaces *	HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Width	47 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Depth	105 mm
HDMI ports quantity	1	Height	16.4 mm
Ports quantity *	6	Weight	80 g
Ethernet LAN (RJ-45) ports	1	Packaging data	
Features		Quantity per pack	1 pc(s)
Data transfer rate *	5000 Mbit/s	Package width	85 mm
Supported graphics resolutions	3840 x 2160	Package depth	155 mm
Maximum resolution (HDMI)	3840 x 2160 pixels	Package height	22 mm
Product colour	Grey	Package weight	130 g
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Package type	Box
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery revision	3.0	Quick start guide	✓
USB Power Delivery up to	100 W	Operational conditions	
HD type	4K Ultra HD	Minimum operating temperature	0 °C
Number of displays supported	1	Maximum operating temperature	40 °C
Cable type	Round cable	Operating temperature (T-T)	0 - 40 °C
Cable length	0.15 m	Storage temperature (T-T)	-20 - 70 °C
Plug and Play	✓	Operating relative humidity (H-H)	10 - 85%
Country of origin	China	Logistics data	
Network		Pallet gross width	100 cm
Ethernet interface type	Gigabit Ethernet	Pallet gross length	120 cm
Ethernet LAN data rates	100,1000 Mbit/s	Pallet gross height	120 cm
		Pallet gross weight	310 kg
		Master (outer) case width	256 mm
		Master (outer) case length	345 mm
		Master (outer) case height	236 mm



Power		Logistics data	
Power supply type	USB	Master (outer) case gross weight	6.58 kg
Input voltage	5 - 20 V	Technical details	
Output voltage	5 V	Pallet net height	12 cm
Output current	0.9 A	Pallet net length	120 cm
System requirements		Pallet net width	100 cm
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8	Pallet net weight	12 kg
	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma	Compliance certificates	CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA
Mac operating systems supported			
Linux operating systems supported	✓		



0023942321576



023942321576

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.