

Verbatim 49700 Universal White AC Fast charging Indoor

Brand : Verbatim

Product code: 49701

Product name : 49700

30W, 4-Port USB Wall Charger, Black, 1 x USB-C PD 20W / 1 x USB-A QC 3.0 / 2 x USB-A 10W (EU)


[Verbatim 49700 Universal White AC Fast charging Indoor:](#)

30W 4-in-1 Charging

Verbatim's 30W USB Wall Charger combines one USB-C PD 20W port, and three USB-A ports (one USB-A QC 3.0 18W port and two USB-A 10W ports) in a slim design with a fixed EU plug. Ideal for the office, home or travelling to power your tablet, smartphone, gaming devices, and more.

The USB Wall Charger is made with high-quality, flame-resistant materials and features four safety protection systems, including over-current protection, over-voltage protection, short circuit protection, and over-temperature protection to ensure your safety while charging.

Verbatim 49700. Charger type: Indoor, Power source type: AC, Charger compatibility: Universal. Input voltage: 100 - 240 V. USB 2.0 ports quantity: 2, USB Type-C ports quantity: 1, Fast charging, Power protection features: Over current, Over voltage, Overheating, Short circuit. Product colour: White



Performance		Power	
Charger compatibility *	Universal	Output current (12V)	1.67 A
Power source type *	AC	Output power	30 W
USB 2.0 ports quantity	2	Power plug type	Type C
Micro-USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1	Output voltage	5, 9, 12 V
USB Type-C ports quantity	1	Weight & dimensions	
Fast charging	✓	Width	91.2 mm
Fast charging technology	Power Delivery, Quick Charge 3.0	Depth	27.5 mm
Charger type *	Indoor	Height	45.7 mm
Number of simultaneously connected devices (max) *	4	Weight	66 g
USB Power Delivery (USB PD)	✓	Packaging data	
USB Power Delivery revision	3.0	Package width	75 mm
USB Power Delivery up to	20 W	Package depth	30 mm
Power protection features	Over current, Over voltage, Overheating, Short circuit	Package height	119 mm
MagSafe compatible	✗	Package weight	106 g
Design		Package type	Hanging box
Product colour *	White	Operational conditions	
Housing material	Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)	Operating temperature (T-T)	-10 - 40 °C
Gallium nitride (GaN) transistors	✗	Storage temperature (T-T)	-20 - 80 °C
Power		Packaging content	
Input voltage	100 - 240 V	Quantity per pack	1 pc(s)
Input frequency	50/60 Hz	Manual	✓
Input current	0.5 A	Included power plug types	EU
Maximum power	30 W	Certificates	
Port 1 output power	20 W	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
		Compliance certificates	CE, Low Voltage Directive (LVD), REACH, RoHS, UKCA, WEEE

Power		Technical details	
Port 2 output power	18 W	Master (outer) cases per pallet	48 pc(s)
Port 3 output power	10 W	Pallet type	800 x 1200 mm
Port 4 output power	10 W	Logistics data	
Output current (5V)	3 A	Customs product code (TARIC)	85366990
Output current (9V)	2.22 A	Country of origin	China



0023942497011



023942497011

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.