



DELL Pro Plus P3425WE computer monitor 86.6 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Grey



Brand : DELL

Product family: Pro Plus

Product code: DELL-P3425WEHF

Product name : P3425WE

DELL Pro Plus P3425WE. Display diagonal: 86.6 cm (34.1"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Grey

Display		Ergonomics	
Display diagonal *	86.6 cm (34.1")	Cable lock slot type	Kensington
Display resolution *	3440 x 1440 pixels	Height adjustment *	✓
HD type *	Wide Quad HD	Adjustable height (max)	15 cm
Native aspect ratio *	21:9	Pivot	✓
Display technology *	LCD	Pivot angle	-4 - 4°
Panel type *	IPS	Swivelling	✓
LED backlight	✓	Swivel angle range	-30 - 30°
Backlight type	Edge LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 21°
Display brightness (typical)	350 cd/m²	Picture-in-Picture	✓
Response time *	8 ms	On Screen Display (OSD)	✓
Response time measurement type	GTG (Gray to Gray)	Plug and Play	✓
Anti-glare screen	✓	LED indicators	✓
Screen shape *	Curved	Power	
Screen curvature rating	3800R	Energy efficiency class (SDR) *	F
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440	Energy efficiency class (HDR) *	Not available
		Energy consumption (SDR) per 1000 hours *	29 kWh
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (typical) *	28.7 W
Contrast ratio (typical) *	1500:1	Power consumption (standby) *	0.3 W
Maximum refresh rate *	100 Hz	Power consumption (max)	200 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	1.07 billion colours	AC input frequency	50/60 Hz
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2325 x 0.2325 mm	Energy efficiency scale	A to G
Pixel density	110 ppi	Operational conditions	
Horizontal scan range	28 - 151 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	30 - 100 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	80 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size, vertical	33.5 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size diagonal	86.7 cm	Operating altitude	0 - 5000 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	99%	Weight & dimensions	
Dell ComfortView technology	✓		

Display		Weight & dimensions	
Heat dissipation (typical)	94.17 BTU/h	Width (with stand)	816 mm
Performance		Depth (with stand)	229.4 mm
NVIDIA G-SYNC *	✗	Height (with stand)	541.2 mm
AMD FreeSync *	✗	Weight (with stand)	9.38 kg
Flicker-free technology	✓	Width (without stand)	816 mm
Low Blue Light technology	✓	Depth (without stand)	83 mm
Windows operating systems supported	Windows 10, Yes	Height (without stand)	358 mm
Mac operating systems supported	✓	Weight (without stand)	6.9 kg
Multimedia		Bezel width (side)	8.85 mm
Built-in speaker(s) *	✗	Bezel width (top)	8.85 mm
Built-in camera *	✗	Bezel width (bottom)	1.44 cm
Design		Packaging data	
Product colour *	Black, Grey	Package weight	14.4 kg
Front bezel colour	Black	Packaging content	
Feet colour	Grey	Stand included	✓
Ports & interfaces		Cables included	DisplayPort, USB Type-A to USB Type-B, USB Type-C
Built-in USB hub *	✓	DisplayPort cable length	1.8 m
Number of USB Type-B upstream ports quantity	1	Sustainability	
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold
USB Type-A downstream ports quantity	3	Doesn't contain	Arsenic, Halogen, Mercury, PVC/BFR
USB Type-C downstream ports quantity	1	Carbon footprint	
USB Type-C DisplayPort Alternate Mode	✓	Total carbon footprint (kg of CO2e)	339
USB Power Delivery (USB PD)	✓	Carbon emissions, manufacturing (kg of CO2e)	133.566
USB Power Delivery up to	90 W	Carbon emissions, logistics (kg of CO2e)	27.12
HDMI *	✓	Carbon emissions, energy usage (kg of CO2e)	140.007
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	38.646
HDMI version	2.1	PAIA version	GaBi version 1, 2024
DisplayPorts quantity	1	Other features	
DisplayPort version	1.4	Picture-by-Picture (PbP)	✓
Headphone out *	✗	Compliance certificates	RoHS
HDCP	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
HDCP version	1.4	Ethernet LAN (RJ-45) ports	1
Ergonomics		Wake-on-LAN	✓
VESA mounting *	✓	Certification	TÜV Rheinland Eye Comfort 3.0
Panel mounting interface	100 x 100 mm	Brand-specific features	
Cable management	✓	Dell Display Manager (DDM) compatibility	✓
Cable lock slot *	✓		



5397184962848

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.