



DELL Pro P P2426H WOST computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black



Brand : DELL

Product family: Pro P

Product code: DELL-P2426HWO

Product name : Pro P P2426H WOST

- 24" LCD IPS
 - Full HD, 16:9, 1920 x 1080
 - 120Hz, 5ms, 300cd/m²
 - USB Hub
- 24", 1920 x 1080 Edge LED IPS, 120Hz, 16:9, 300cd/m², 5ms, 178°/178°



DELL Pro P P2426H WOST computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:

Equipped for seamless productivity, this 23.8-inch FHD monitor (without stand) offers extensive connectivity, high refresh rate, and TÜV-certified 4-star eye comfort.
DELL Pro P P2426H WOST. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black

Display		Ports & interfaces	
Display diagonal *	61 cm (24")	HDCP version	1.4
Display resolution *	1920 x 1080 pixels	Charging port type	USB Type-C
HD type *	Full HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Cable lock slot *	✓
LED backlight	✓	Cable lock slot type	Kensington
Backlight type	Edge LED	Height adjustment *	✗
Touchscreen *	✗	Pivot	✓
Display brightness (typical)	300 cd/m ²	Pivot angle	-90 - 90°
Response time *	8 ms	Swivelling	✓
Response time measurement type	GTG (Gray to Gray)	Swivel angle range	-45 - 45°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 21°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	On Screen Display (OSD)	✓
		Plug and Play	✓
Supported video modes	1080p, 720p, 576p, 480p	LED indicators	✓
Contrast ratio (typical) *	1500:1	Power	
Maximum refresh rate *	120 Hz	Energy efficiency class (SDR) *	C
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	12 kWh
Display number of colours *	16.7 million colours	Power consumption (typical) *	11.7 W
Response time (fast)	5 ms	Power consumption (standby) *	0.3 W
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (max)	74 W
Pixel density	93 ppi	Power consumption (off)	0.3 W
Horizontal scan range	30 - 135 kHz	AC input voltage	100 - 240 V
Vertical scan range	48 - 120 Hz	AC input frequency	50/60 Hz
Viewable size, horizontal	52.7 cm	Power supply type	Internal
Viewable size, vertical	29.6 cm	Energy efficiency scale	A to G
Viewable size diagonal	60.5 cm	Operational conditions	
Surface hardness	3H	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	99%	Storage temperature (T-T)	-20 - 60 °C

Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating relative humidity (H-H)	10 - 80%
AMD FreeSync *	✗	Storage relative humidity (H-H)	5 - 90%
Flicker-free technology	✓	Operating altitude	0 - 5000 m
Low Blue Light technology	✓	Non-operating altitude	0 - 12192 m
Multimedia		Weight & dimensions	
Built-in speaker(s) *	✗	Width (without stand)	538.6 mm
Built-in camera *	✗	Depth (without stand)	50 mm
Design		Height (without stand)	314.2 mm
Product colour *	Black	Weight (without stand)	3.34 kg
Front bezel colour	Black	Bezel width (side)	5.8 mm
Ports & interfaces		Bezel width (top)	5.8 mm
Built-in USB hub *	✓	Bezel width (bottom)	1.2 cm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Packaging data	
USB upstream port type	USB Type-B	Package weight	5.15 kg
Number of downstream ports	4	USB cable length	1.8 m
Number of USB Type-B upstream ports quantity	1	Packaging content	
USB Type-A downstream ports quantity	2	Stand included	✗
USB Type-C downstream ports quantity	2	Cables included	DisplayPort, HDMI, USB Type-A to USB Type-B, AC
HDMI *	✓	DisplayPort cable length	1.8 m
HDMI ports quantity	1	HDMI cable length	1.8 m
HDMI version	1.4	Sustainability	
DisplayPorts quantity	1	Sustainability certificates	ENERGY STAR, TCO
DisplayPort version	1.4	Doesn't contain	PVC/BFR, Mercury, Arsenic
Headphone out *	✗	Other features	
HDCP	✓	Compliance certificates	RoHS



5397321029434

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.