



DELL Pro P P2426 computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Grey

Brand : DELL

Product family: Pro P

Product code: DELL-P2426

Product name : P2426

- 24.1" LCD IPS
 - WUXGA, 16:10, 1920 x 1200
 - 100Hz, 5ms
 - USB Hub
- 24.1", 1920 x 1200 Edge LED IPS, 100Hz, 16:10, 5ms, 178°/178°

DELL Pro P P2426 computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Grey:

Equipped for seamless productivity, this 24-inch FHD monitor offers extensive connectivity, high refresh rate and TÜV-certified 4-star eye comfort.

DELL Pro P P2426. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Grey



Display		Ergonomics	
Display diagonal *	61.2 cm (24.1")	VESA mounting *	✓
Display resolution *	1920 x 1200 pixels	Panel mounting interface	100 x 100 mm
HD type *	WUXGA	Cable management	✓
Native aspect ratio *	16:10	Cable lock slot *	✓
Display technology *	LCD	Cable lock slot type	Kensington
Panel type *	IPS	Height adjustment *	✓
LED backlight	✓	Adjustable height (max)	15 cm
Backlight type	Edge LED	Pivot	✓
Touchscreen *	✗	Pivot angle	-90 - 90°
Display brightness (peak)	300 cd/m²	Swivelling	✓
Response time *	8 ms	Swivel angle range	-45 - 45°
Response time measurement type	GTG (Gray to Gray)	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-5 - 21°
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Power	
		Energy efficiency class (SDR) *	D
		Energy efficiency class (HDR) *	Not available
Supported video modes	1080p, 720p, 576p, 480p	Energy consumption (SDR) per 1000 hours *	14 kWh
Contrast ratio (typical) *	1500:1	Power consumption (typical) *	13.6 W
Maximum refresh rate *	100 Hz	Power consumption (standby) *	0.3 W
Viewing angle, horizontal	178°	Power consumption (max)	68 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Response time (fast)	5 ms	AC input frequency	50/60 Hz
Pixel pitch	0.27 x 0.27 mm	Input current	1.5 A
Pixel density	94 ppi	Power supply type	Internal
Viewable size, horizontal	61.1 cm	Energy efficiency scale	A to G
Viewable size, vertical	51.8 cm		

Display		Operational conditions	
Viewable size diagonal	32.4 cm	Operating temperature (T-T)	0 - 40 °C
Digital horizontal frequency	30 - 127 kHz	Storage temperature (T-T)	-20 - 60 °C
Digital vertical frequency	48 - 100 Hz	Operating relative humidity (H-H)	10 - 80%
Surface hardness	3H	Storage relative humidity (H-H)	5 - 90%
sRGB coverage (typical)	99%	Non-operating altitude	5000 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	531.8 mm
AMD FreeSync *	✗	Depth (with stand)	181.8 mm
Flicker-free technology	✓	Height (with stand)	511.2 mm
Low Blue Light technology	✓	Weight (with stand)	4.57 kg
Multimedia		Width (without stand)	531.8 mm
Built-in speaker(s) *	✗	Depth (without stand)	50 mm
Built-in camera *	✗	Height (without stand)	343.7 mm
Design		Weight (without stand)	3.07 kg
Market positioning *	Consumer	Bezel width (side)	6.7 mm
Product colour *	Grey	Bezel width (top)	6.7 mm
Ports & interfaces		Bezel width (bottom)	1.3 cm
Built-in USB hub *	✓	Packaging data	
USB upstream port type	USB Type-B	Package weight	6.74 kg
Number of USB Type-B upstream ports quantity	1	Packaging content	
USB Type-A downstream ports quantity	3	Stand included	✓
USB Type-C downstream ports quantity	1	Cables included	Power, DisplayPort, USB Type-A to USB Type-B
HDMI *	✓	DisplayPort cable length	1.8 m
HDMI ports quantity	1	Sustainability	
HDMI version	1.4	Sustainability certificates	ENERGY STAR, TCO
DisplayPorts quantity	1	Doesn't contain	PVC/BFR, Arsenic, Mercury
DisplayPort out version	1.4	Other features	
Headphone out *	✗	Compliance certificates	RoHS
HDCP	✓		
HDCP version	1.4		



5397321029526

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.