



DELL SE2725H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black

Brand : DELL

Product code: DELL-SE2725H

Product name : SE2725H

- 68.6cm (27") Full HD 1920 x 1080 Edge LED VA
- 8ms, 16:9, 300cd/m², 3000:1
- VGA, HDMI
- 68.6cm (27") Full HD 1920 x 1080 Edge LED VA, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 3000:1

DELL SE2725H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black:

Breeze through everyday tasks with this 27-inch monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL SE2725H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Power	
Display diagonal *	68.6 cm (27")	Energy efficiency class (SDR) *	D
Display resolution *	1920 x 1080 pixels	Energy efficiency class (HDR) *	Not available
HD type *	Full HD	Energy consumption (SDR) per 1000 hours *	17 kWh
Native aspect ratio *	16:9	Power consumption (typical) *	17 W
Display technology *	LED	Power consumption (standby) *	0.3 W
Panel type *	VA	Power consumption (max)	30 W
LED backlight	✓	Power consumption (off)	0.3 W
Backlight type	Edge LED	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50/60 Hz
Display brightness (typical)	300 cd/m ²	Power supply type	Internal
Response time *	8 ms	Energy efficiency scale	A to G
Anti-glare screen	✓	Operational conditions	
Screen shape *	Flat	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%
Supported video modes	480p, 576p, 720p, 1080p	Storage relative humidity (H-H)	10 - 90%
Contrast ratio (typical) *	3000:1	Operating altitude	0 - 5000 m
Maximum refresh rate *	75 Hz	Non-operating altitude	0 - 12191 m
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Width (with stand)	623.3 mm
Display number of colours *	16.7 million colours	Depth (with stand)	199.9 mm
Response time (fast)	5 ms	Height (with stand)	459.2 mm
Pixel pitch	0.3114 x 0.3114 mm	Weight (with stand)	4.31 kg
Pixel density	81 ppi	Width (without stand)	623.3 mm
Horizontal scan range	30 - 85 kHz	Depth (without stand)	55.6 mm
Vertical scan range	48 - 75 Hz	Height (without stand)	369.6 mm
Viewable size, horizontal	59.8 cm	Weight (without stand)	3.74 kg

Display		Weight & dimensions	
Viewable size, vertical	33.6 cm	Bezel width (side)	1.27 cm
Display diagonal (metric)	68.59 cm	Bezel width (top)	1.29 cm
Surface hardness	3H	Bezel width (bottom)	1.61 cm
NTSC coverage (typical)	72%	Packaging data	
Dell ComfortView technology	✓	Package weight	6.58 kg
Performance		Packaging content	
NVIDIA G-SYNC *	✗	Stand included	✓
AMD FreeSync *	✗	Cables included	AC, DisplayPort
Flicker-free technology	✓	Quick start guide	✓
Low Blue Light technology	✓	HDMI cable length	1.8 m
Multimedia		Sustainability	
Built-in speaker(s) *	✗	Sustainability certificates	ENERGY STAR, EPEAT Climate +, TCO
Built-in camera *	✗	Doesn't contain	Arsenic, Mercury, PVC/BFR
Design		Carbon footprint	
Product colour *	Black	Total carbon footprint (kg of CO2e)	181
Ports & interfaces		Carbon emissions, manufacturing (kg of CO2e)	80.545
Built-in USB hub *	✗	Carbon emissions, logistics (kg of CO2e)	12.308
VGA (D-Sub) ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	83.622
HDMI *	✓	Carbon emissions, end-of-life (kg of CO2e)	4.525
HDMI ports quantity	1	PAIA version	GaBi version 1, 2024
Headphone out *	✗	Other features	
HDCP	✓	Compliance certificates	RoHS
HDCP version	1.4	Brand-specific features	
AC (power) in	✓	Dell Display Manager (DDM) compatibility	✓
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Height adjustment *	✗		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		
On Screen Display (OSD)	✓		
Plug and Play	✓		
LED indicators	✓		



5397184822265



5715063801222

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.