

## TP-Link Tapo Solar-Powered Pan/Tilt Security Camera Kit

**Brand :** TP-Link

**Product family:** Tapo

**Product code:** TAPO C660 KIT

**Product name :** Solar-Powered  
Pan/Tilt Security Camera Kit

- 4K Ultimate Clarity: The camera features 4K 8MP resolution and 18x digital zoom for superior clarity
  - Free Person/Pet/Vehicle Detection: The camera identifies people, pets, and vehicles, reducing false alerts and unnecessary notifications
  - 360° AI Tracking: The camera provides 360° coverage and accurately identifies and tracks people, pets, and vehicles
  - Solar Charging, Maintenance-Free: Effortlessly monitor your space wirelessly from any location, liberating yourself from outlet limitations
  - Starlight Color Night Vision: Capture vibrant images in low light. Enhance security with an F1.6 lens, starlight sensor, and spotlights
  - 2.4/5 GHz Connection: Connect the camera to 5 GHz for faster speed or 2.4 GHz for longer distance
- Solar-Powered Pan/Tilt Security Camera Kit



| Performance                        |                                                                | Network                           |                                              |
|------------------------------------|----------------------------------------------------------------|-----------------------------------|----------------------------------------------|
| Type *                             | IP security camera                                             | Ethernet LAN *                    | ✓                                            |
| Placement supported *              | Outdoor                                                        | Wi-Fi *                           | ✓                                            |
| Connectivity technology *          | Wired & Wireless                                               | Wi-Fi standards                   | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Virtual assistant                  | Amazon Alexa & Google Assistant                                | Live view                         | ✓                                            |
| Infrared (IR) cut-off filter       | ✓                                                              | <b>Storage</b>                    |                                              |
| Remote viewing                     | ✓                                                              | Built-in HDD *                    | ✗                                            |
| Certification                      | CB, CE, FCC, DOE, CEC, RCM, KC, JFR,VCCI,NCC, BSMI, NTRA, IP65 | Card reader integrated            | ✓                                            |
| Design                             |                                                                | Compatible memory cards           | MicroSD (TransFlash)                         |
| Form factor *                      | Bullet                                                         | Security                          |                                              |
| Mounting type *                    | Ceiling/wall                                                   | Built-in siren                    | ✓                                            |
| Product colour *                   | White                                                          | Video motion detection            | ✓                                            |
| LED indicators                     | System                                                         | Security algorithms               | 128-bit AES, SSL/TLS, WPA, WPA2-PSK          |
| International Protection (IP) code | IP65                                                           | Alert notification type           | Text alert message                           |
| Camera                             |                                                                | Management features               |                                              |
| Lens viewing angle, horizontal     | 88°                                                            | Reset button                      | ✓                                            |
| Lens viewing angle, vertical       | 45°                                                            | Power                             |                                              |
| Lens viewing angle, diagonal       | 105°                                                           | Power source type *               | AC                                           |
| Image sensor                       |                                                                | AC input voltage                  | 100 - 240 V                                  |
| Optical sensor size                | 25.4 / 2.7 mm (1 / 2.7")                                       | AC input frequency                | 50/60 Hz                                     |
| Sensor type *                      | CMOS                                                           | Operational conditions            |                                              |
| Lens system                        |                                                                | Operating temperature (T-T)       | -20 - 45 °C                                  |
| Digital zoom                       | 18x                                                            | Storage temperature (T-T)         | -20 - 60 °C                                  |
| Number of lenses *                 | 1                                                              | Operating relative humidity (H-H) | 10 - 90%                                     |
| Maximum aperture number            | 1.6                                                            | Storage relative humidity (H-H)   | 0 - 90%                                      |
| Fixed focal length                 | 4 mm                                                           |                                   |                                              |

| Night vision              |                    | System requirements                |                                                                                                                                                                                                              |
|---------------------------|--------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Night vision *            | ✓                  | Mobile operating systems supported | Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.1, Android 7.1.2, Android 8.0, Android 9.0, iOS 10.0, iOS 11.0, iOS 11.4, iOS 12, iOS 13, iOS 14.5, iOS 15, iOS 9.0, iOS 9.1, iOS 9.2, iOS 9.3 |
| Night vision distance     | 12 m               |                                    |                                                                                                                                                                                                              |
| LED type                  | IR                 |                                    |                                                                                                                                                                                                              |
| Infra-red wavelength      | 850 nm             |                                    |                                                                                                                                                                                                              |
| Video                     |                    | Weight & dimensions                |                                                                                                                                                                                                              |
| Maximum resolution *      | 3840 x 2160 pixels | Width                              | 185 mm                                                                                                                                                                                                       |
| Total megapixels *        | 8 MP               | Depth                              | 147 mm                                                                                                                                                                                                       |
| Video compression formats | H.264              | Height                             | 75 mm                                                                                                                                                                                                        |
| Frame rate                | 20 fps             | Packaging data                     |                                                                                                                                                                                                              |
| Video streaming           | ✓                  | Package width                      | 218 mm                                                                                                                                                                                                       |
| Audio                     |                    | Package depth                      | 323 mm                                                                                                                                                                                                       |
| Built-in speaker(s)       | ✓                  | Package height                     | 116 mm                                                                                                                                                                                                       |
| Built-in microphone       | ✓                  | Package weight                     | 1.5 kg                                                                                                                                                                                                       |
|                           |                    | Package type                       | Box                                                                                                                                                                                                          |
| Sustainability            |                    |                                    |                                                                                                                                                                                                              |
|                           |                    | Compliance certificates            | BSMI, CB, CE, Federal Communications Commission (FCC), KC, NCC, RCM, VCCI                                                                                                                                    |
| Packaging content         |                    |                                    |                                                                                                                                                                                                              |
|                           |                    | Number of cameras *                | 1                                                                                                                                                                                                            |



8885020624199



1210002608138



8885020629606

### **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.