



CLUB3D HDMI™ 4K@60Hz UHD Splitter AC Power 4 ports

Brand : CLUB3D

Product code: CSV-1380

Product name : HDMI™ 4K@60Hz UHD Splitter AC Power 4 ports

- Connect 4 screens to one Host System via this Splitter
 - Supports 4 x 4K60Hz UHD resolutions and HDR
 - Supports HDR, HDCP and 3D
- HDMI 2.0 UHD Splitter 4 Ports

CLUB3D HDMI™ 4K@60Hz UHD Splitter AC Power 4 ports:

The SenseVision HDMI™ 2.0 UHD Splitter 4 Ports is a high- performance and small-sized HDMI™ 4K 60Hz UHD Splitter with one input and four outputs. It has a mat black metal casing, which make it very strong and sturdy. An ideal assistant both at home and in the workplace.


This HDMI™ 4K 60Hz UHD Splitter routes high definition video, in resolutions up to 4K @ 60Hz, and digital audio from the source input to any of the four connected 4K UHD televisions, monitors or projectors.

The CSV-1380 SenseVision HDMI™ 2.0 UHD Splitter comes with an AC Power Adapter for 5V/ 2A and its maximum power consumption is 3.2 Watt.



Ports & interfaces		Power	
Video port type *	HDMI	Output current	2 A
Video in	1	Power consumption (typical)	10 W
Video out *	4	USB powered	✗
HDMI version	2.0a	Weight & dimensions	
Video ports quantity *	4	Dimensions (WxDxH)	122 x 50 x 20 mm
DC-in jack	✓	Weight	156 g
Features		Packaging data	
Product colour	Black	Quantity per pack	1 pc(s)
Housing material	Metal	Package width	180 mm
Maximum resolution *	4096 x 2160 pixels	Package depth	137 mm
Full HD	✓	Package height	80 mm
3D	✓	Package type	Box
Maximum refresh rate	60 Hz	Plastic packaging weight	20 g
HDCP version	1.4/2.2	Paper/cardboard packaging weight	30 g
Data transfer rate	6 Gbit/s	Total plastic packaging weight	100 g
HD-Ready	✓	Total paper/cardboard packaging weight	150 g
HDCP	✓	Packaging content	
Easy to install	✓	Manual	✓
Power LED	✓	AC adapter included	✓
Plug and Play	✓	Included power plug types	EU
LED indicators	✓	Packaging content	CSV-1380 Power Adapter
Certification	Meets ROHS, FCC, and CE EMI requirements	Technical details	
Windows operating systems supported	✓	Resolution	4096 x 2160 pixels
Mac operating systems supported	✓	Connector type	HDMI 2.0
Mac compatibility	✓		

Network		Logistics data	
Wi-Fi	×	Harmonized System (HS) code	8473 3020
Power		Products per master (outer) case	10 pc(s)
AC input voltage	5 V		



8719214471002



0841615101191



841615101191

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.