



CLUB3D USB Type A and C Power Charger, 5 ports up to 111W

Brand : CLUB3D

Product code: CAC-1903EU

Product name : USB Type A and C Power Charger, 5 ports up to 111W

- Multi purpose 5 Port USB Power Charger
- Supports PD charging
- Provide power up to 111W input:100-110/240VAC
- Bundled with a USB Type C Power cable
- 4 ports USB Type A and 1 port USB Type C
- 1x USB Type C port supports PD charging with max 87W(20V/4.35A)
- 4x USB Type A ports supports PD charging with max 24W(5V/4.8A)
- Bundled with a powercord (country specific version)
- Eliminates the need for multiple Power Chargers
- Light weight and easy installation

USB Type A and C Power Charger 5 ports up to 111W

CLUB3D USB Type A and C Power Charger, 5 ports up to 111W. Charger type: Indoor, Power source type: AC, Charger compatibility: Universal. Input voltage: 240 V, Maximum output voltage: 240 V. USB Type-C ports quantity: 1, Power protection features: Over voltage, Overcharge, Overload, Short circuit. Cable length: 1 m, Product colour: Black



Performance		Weight & dimensions	
Charger compatibility *	Universal	Height	80 mm
Power source type *	AC	Weight	428 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Packaging data	
USB Type-C ports quantity	1	Package width	320 mm
Wireless charging	✗	Package depth	110 mm
Fast charging	✗	Package height	70 mm
Charger type *	Indoor	Package weight	80 g
USB Power Delivery (USB PD)	✓	Package type	Box
Operating principle	Contact	Packaging content	
USB Power Delivery up to	111 W	Quantity per pack	1 pc(s)
Power protection features	Over voltage, Overcharge, Overload, Short circuit	Cables included	USB Type-C
Design		Certificates	
Product colour *	Black	Certification	ROHS, FCC, and CE EMI requirements
Cable length	1 m	Packaging composition	
Illuminated USB port	✗	Plastic packaging weight	5 g
On/off switch	✗	Paper/cardboard packaging weight	80 g
Plug and Play	✓	Total plastic packaging weight	0 g
		Total paper/cardboard packaging weight	0 g
Power		Logistics data	
Input voltage	240 V	Harmonized System (HS) code	8504 4095
Input current	4.8 A	Other features	
Maximum power	111 W	Built-in display	✗
Maximum output voltage	240 V	Integrated USB cable	✗
Minimum output voltage	5 V	Automatic output voltage adjustment	✓
Weight & dimensions			
Width	160 mm		

Weight & dimensions

Depth 30 mm



8719214471354

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.