

GIGABYTE X870E AORUS MASTER Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8600MHz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4



Brand : GIGABYTE

Product code: X870E AORUS MASTER

Product name : X870E AORUS MASTER Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8600MHz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4

X870E AORUS MASTER Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8600MHz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4

[GIGABYTE X870E AORUS MASTER Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8600MHz DDR5 \(OC\), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Processor		Network	
Processor manufacturer *	AMD	Ethernet interface type	5 Gigabit Ethernet
Processor socket *	Socket AM5	LAN controller	Realtek RTL8126
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Wi-Fi *	✓
Supported processor sockets	Socket AM5	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Maximum internal memory supported by processor	256 GB	Wi-Fi standards	Wi-Fi 7 (802.11be)
Memory Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory Maximum internal memory per slot	DDR5-SDRAM	WLAN controller model	Qualcomm QCNCM865
	4	Bluetooth	✓
	DIMM	Bluetooth version	5.3
	Dual-channel	Features	
	ECC & Non-ECC	Motherboard chipset *	AMD X870
	4400,4800,5200,5600,6000,6200,6400,6600,6666,6800,7000,7200,7600,7800,8200,8400,8600 MHz	Audio chip	Realtek ALC1220
	8600 MHz	Audio output channels *	7.1 channels
	256 GB	Product colour	Black
	1GB, 2GB, 4GB, 8GB, 12GB, 24GB, 32GB	PC health monitoring	Fan, Temperature, Voltage
	✓	Component for *	PC
Storage controllers		Motherboard form factor *	ATX
Supported storage drive types	HDD & SSD	Motherboard chipset family *	AMD
Supported storage drive interfaces *	M.2, SATA III	Windows operating systems supported	Windows 11 x64
Number of HDDs supported	4	Expansion slots	
Number of storage drives supported	8	PCI Express x4 slots	2
RAID support	✓	PCI Express x16 (Gen 3.x) slots	1
RAID levels	0, 1, 10	PCI Express x16 (Gen 4.x) slots	1
Graphics	Not supported	PCI Express x16 (Gen 5.x) slots	1
Parallel processing technology support *		Number of M.2 (M) slots	4
On-board graphics card		1st M.2 largest key size	25110
DirectX version		1st M.2 highest PCI Express generation	5.0
		2nd M.2 largest key size	22110

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	2nd M.2 highest PCI Express generation	5.0
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	3rd M.2 largest key size	22110
USB 3.2 Gen 2x2 connectors	1	3rd M.2 highest PCI Express generation	5.0
Number of SATA III connectors *	4	4th M.2 largest key size	22110
Front panel audio connector	✓	4th M.2 highest PCI Express generation	4.0
Front panel connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit
Number of CPU fan connectors	2	ACPI version	5.0
Number of chassis fan connectors	6	Clear CMOS jumper	✓
EPS power connector (8-pin)	✓	Clear CMOS button	✓
Number of EPS power connectors (8-pin)	2	Desktop Management Interface (DMI) version	2.7
TPM connector	✓	System Management BIOS (SMBIOS) version	2.7
Number of water pump connectors	2	Logistics data	
RGB LED pin header	✓	Country of origin	China
Number of RGB LED pin headers	5	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports		Battery	
USB 2.0 ports quantity *	2	Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4	Number of battery cells	1
USB4 Gen 2x2 ports quantity	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Ethernet LAN (RJ-45) ports *	1	Battery type	CR2032
HDMI ports quantity *	1	Packaging data	
HDMI version	2.1	Package width	345 mm
DisplayPort version	1.4	Package depth	294 mm
Headphone outputs	1	Package height	80 mm
Line-in	✓	Package weight	2.97 kg
S/PDIF out port	✓	Weight & dimensions	
WiFi-AP antenna jack	2	Width	305 mm
Network		Depth	244 mm
Ethernet LAN	✓	Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Other features	
		Weight	2.54 kg
		Technical details	
		Warranty period	3 year(s)



4719331864354



0889523044803



889523044803

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.