



Acer Value X1228i Standard throw projector 4500 ANSI lumens DLP SVGA (800x600) 3D Black

Brand : Acer

Product family: Value

Product code: MR.JTV11.001

Product name : X1228i



Acer Value X1228i. Projector brightness: 4500 ANSI lumens, Projection technology: DLP, Projector native resolution: SVGA (800x600). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 10000 h. Focal length range: 21.85 - 24.01 mm, Aperture range (F-F): 2.41 - 2.53, Throw ratio: 1.94 - 2.16. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 800 x 600 (SVGA), 1920 x 1200 (WUXGA). Projection modes: Ceiling, Front, Rear, Compatible operating systems: MacOS, Windows

Projector		Network	
Supported aspect ratios	4:3, 16:9	Smart TV *	×
Projection distance	1 - 11.8 m	Ethernet LAN *	×
Projector brightness *	4500 ANSI lumens	Wi-Fi *	×
Projection technology *	DLP	Storage	
Projector native resolution *	SVGA (800x600)	Card reader integrated *	×
Contrast ratio (typical) *	20000:1	Features	
Native aspect ratio *	4:3	Interactive *	×
Number of colours	1.07 billion colours	Projection modes	Ceiling, Front, Rear
Horizontal scan range	15 - 100 kHz	Compatible operating systems	MacOS, Windows
Vertical scan range	24 - 120 Hz	Multimedia	
Keystone correction, vertical	-40 - 40°	Built-in speaker(s) *	✓
Light source		RMS rated power	3 W
Light source type *	Lamp	Number of built-in speakers	1
Service life of light source *	6000 h	Design	
Service life of light source (economic mode)	10000 h	Market positioning *	Presentation
Lamp power	220 W	Product type *	Standard throw projector
Lamps quantity	1 lamp(s)	Product colour *	Black
Lens system		Placement	Ceiling
Focal length range	21.85 - 24.01 mm	Display	
Aperture range (F-F)	2.41 - 2.53	Built-in display *	×
Zoom capability	✓	Power	
Throw ratio	1.94 - 2.16	Power source *	AC
Video		Power consumption (typical) *	265 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (standby) *	0.5 W
Full HD *	×	AC input voltage	100 - 240 V
3D *	✓	Operational conditions	
Supported graphics resolutions	800 x 600 (SVGA), 1920 x 1200 (WUXGA)	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Weight & dimensions	
USB 2.0 ports quantity	1	Width	313 mm
Audio (L/R) in *	1	Depth	240 mm
Audio (L/R) out	1	Height	113.7 mm
PC Audio in	✓	Weight *	2.75 kg
PC Audio out	✓	Package width	349 mm
VGA (D-Sub) ports quantity *	1	Package depth	399 mm
Composite video in *	1	Package height	168 mm

Ports & interfaces		Weight & dimensions	
DVI port *	✗	Package weight	3.86 kg
Mobile High-Definition Link (MHL)	✗	Packaging content	
		Remote control included *	✗
		Cables included	AC
		Logistics data	
		Quantity per pack	1 pc(s)
		Harmonized System (HS) code	85286200



4710886243281

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-MAY-2026. Prints or copies of Information are only valid on the printed Publication date