



## CLUB3D 9-1 Dual HDMI™ USB-C® Hub PD3.0 100W

**Brand :** CLUB3D

**Product code:** CSV-2552

**Product name :** 9-1 Dual HDMI™ USB-C® Hub PD3.0 100W

9-1 Dual HDMI Display USB-C Hub PD3.0 100W

CLUB3D 9-1 Dual HDMI™ USB-C® Hub PD3.0 100W:

The Club 3D CSV-2552 is a USB-C® 9-1 hub with Dual HDMI™, 2x USB-A, 1x USB-C® data, RJ45, Micro SD/SD card slots and USB-C® charging female port, providing an ideal solution for extending the port of USB-C® or Thunderbolt host (PC/Laptop/Mobile phone, etc.), especially for those host with a single USB-C® port.

CLUB3D 9-1 Dual HDMI™ USB-C® Hub PD3.0 100W. Host interface: USB Type-C, Hub interfaces: HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C, Compatible memory cards: MicroSD (TransFlash), SD. Data transfer rate: 5000 Mbit/s, Maximum refresh rate: 60 Hz, Supported graphics resolutions: 3840 x 2160, 7680 x 4320. Ethernet interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s. Power supply type: USB, Output voltage: 5 V, Output current: 2.4 A. Windows operating systems supported: Windows 11, Mac operating systems supported: Mac OS X 15.0 Sequoia



| Ports & interfaces                              |                                                                                 | Power                                  |                       |
|-------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------|-----------------------|
| Host interface *                                | USB Type-C                                                                      | Output voltage                         | 5 V                   |
| Hub interfaces *                                | HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C | Output current                         | 2.4 A                 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 2                                                                               | System requirements                    |                       |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity | 2                                                                               | Windows operating systems supported    | Windows 11            |
| HDMI ports quantity                             | 1                                                                               | Mac operating systems supported        | Mac OS X 15.0 Sequoia |
| Ports quantity *                                | 9                                                                               | Weight & dimensions                    |                       |
| Ethernet LAN (RJ-45) ports                      | 1                                                                               | Width                                  | 115 mm                |
| Card reader integrated                          | ✓                                                                               | Depth                                  | 59 mm                 |
| Card reader slot                                | 2                                                                               | Height                                 | 14 mm                 |
| Compatible memory cards                         | MicroSD (TransFlash), SD                                                        | Weight                                 | 121 g                 |
| Features                                        |                                                                                 | Packaging data                         |                       |
| Data transfer rate *                            | 5000 Mbit/s                                                                     | Quantity per pack                      | 1 pc(s)               |
| Maximum refresh rate                            | 60 Hz                                                                           | Package width                          | 145 mm                |
| Supported graphics resolutions                  | 3840 x 2160, 7680 x 4320                                                        | Package depth                          | 145 mm                |
| Product colour                                  | Black                                                                           | Package height                         | 45 mm                 |
| USB Power Delivery (USB PD)                     | ✓                                                                               | Package weight                         | 169 g                 |
| USB Power Delivery revision                     | 3.0                                                                             | Packaging composition                  |                       |
| USB Power Delivery up to                        | 100 W                                                                           | Plastic packaging weight               | 3 g                   |
| HD type                                         | 8K Ultra HD                                                                     | Paper/cardboard packaging weight       | 45 g                  |
| Number of displays supported                    | 2                                                                               | Total plastic packaging weight         | 0 g                   |
| Cable type                                      | Round cable                                                                     | Total paper/cardboard packaging weight | 0 g                   |
| Cable length                                    | 0.17 m                                                                          | Logistics data                         |                       |
| Network                                         |                                                                                 | Harmonized System (HS) code            | 8473 3020             |
| Ethernet interface type                         | Gigabit Ethernet                                                                |                                        |                       |
| Ethernet LAN data rates                         | 10,100,1000 Mbit/s                                                              |                                        |                       |

| Power             |     | Technical details       |                                                   |
|-------------------|-----|-------------------------|---------------------------------------------------|
| Power supply type | USB | Compliance certificates | CE, Federal Communications Commission (FCC), RoHS |



8719214473556



0841615103805



841615103805

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.