

NETGEAR GS724TP-300EUS network switch Managed L2/L3/L4 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Blue

Brand : NETGEAR

Product code: GS724TP-300EUS

Product name : GS724TP-300EUS

24-Port Gigabit Ethernet PoE+, 24-port RJ-45, PoE, 512Kb, 380W

NETGEAR GS724TP-300EUS. Switch type: Managed, Switch layer: L2/L3/L4. Basic switching RJ-45

Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24.

Full duplex. MAC address table: 8000 entries, Switching capacity: 52 Gbit/s. Networking standards: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... Power connector: DC-in jack. Power over Ethernet (PoE). Rack mounting



Management features		Multicast features	
Switch type *	Managed	Multicast support	✓
Switch layer	L2/L3/L4	Number of multicast groups filtered	128
Quality of Service (QoS) support	✓	Protocols	
Web-based management	✓	Management protocols	SNMP v1/v2/v3
System event log	✓	Design	
Ports & interfaces		Rack mounting *	✓
Basic switching RJ-45 Ethernet ports quantity *	24	Stackable *	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Product colour	Blue
SFP module slots quantity	2	LED indicators	Activity, Link, Speed
Power connector	DC-in jack	Number of fans	3 fan(s)
Network		Performance	
Networking standards *	IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3x, IEEE 802.3z	Noise level	0 dB
10G support *	✓	Firmware upgradeable	✓
Copper ethernet cabling technology	10BASE-T, 100BASE-T, 100BASE-TX, 1000BASE-T	Mean time between failures (MTBF)	634966 h
Port mirroring	✓	Power	
Full duplex	✓	Power supply included *	✓
IP routing	✓	AC input voltage	100 - 240 V
Flow control support	✓	Power consumption (max)	446.7 W
Link aggregation	✓	Power over Ethernet (PoE)	
Broadcast storm control	✓	Power over Ethernet (PoE) *	✓
Spanning tree protocol	✓	Total Power over Ethernet (PoE) budget	380 W
VLAN support	✓	Operational conditions	
Number of VLANs	64	Operating temperature (T-T)	0 - 50 °C
Optical fiber		Storage temperature (T-T)	-20 - 70 °C
Fiber ethernet cabling technology	1000BASE-LX, 1000BASE-SX	Operating relative humidity (H-H)	0 - 90%
Data transmission		Storage relative humidity (H-H)	0 - 95%
Switching capacity *	52 Gbit/s	Operating altitude	0 - 3000 m
		Weight & dimensions	
		Width	440 mm
		Depth	204 mm

Data transmission		Weight & dimensions	
MAC address table *	8000 entries	Height	43 mm
Store-and-forward	✓	Weight	3.7 kg
Number of queues	8	Packaging content	
Number of static routes	32	Cables included	AC
Jumbo frames support	✓	Quick start guide	✓
Jumbo frames	9216	User guide	✓
Packet buffer memory	0.512 MB	Manual	✓
Security		Certificates	
DHCP features	DHCP client	Certification	CE, FCC, VCCI, EN, C-Tick, CCC, CSA, UL/cUL, IEC
Access Control List (ACL)	✓		
IGMP snooping	✓		
Security algorithms	802.1x RADIUS, HTTPS, SSL/TLS		
MAC address filtering	✓		
SSH/SSL support	✓		



0606449162660



606449162660



(01)10606449162667

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.