



HP Color LaserJet Pro MFP 4302dw Printer

Brand : HP

Product family: Color LaserJet Pro

Product code: 4RA83F#B19

Product name : Color LaserJet Pro MFP 4302dw Printer

- Wireless; Print from phone or tablet; Automatic document feeder
 - Print, copy, scan
 - Print speed up to 33 ppm black & color (A4)
 - Up to 600 x 600 dpi; Up to 38,400 x 600 enhanced dpi
- Color LaserJet Pro MFP 4302dw Printer

HP Color LaserJet Pro MFP 4302dw Printer:

Fast colour printing and easy set up Get a blazing fast colour printer and easy management tools with LaserJet Pro.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Performance	
Duplex printing mode	Auto	Internal storage capacity	512 GB
Print resolution colour	600 x 600 DPI	Internal memory *	512 MB
Print resolution black	600 x 600 DPI	Built-in processor	✓
Print technology *	Laser	Processor frequency	1200 MHz
Printing *	Colour printing	Sound pressure level (printing)	50 dB
Duplex printing *	✓	Sound pressure level (scanning)	48 dB
Maximum resolution *	600 x 600 DPI	Sound power level (printing)	6.1 dB
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Design	
Print speed (colour, normal quality, A4/US Letter)	33 ppm	Product colour *	Blue, White
Print speed (black, draft quality, A4/US Letter)	35 ppm	Market positioning *	Business
Duplex print speed (black, normal quality, A4/US Letter)	29 ppm	Built-in display *	✓
Duplex print speed (colour, normal quality, A4/US Letter)	29 ppm	Display	LED
Warm-up time	55 s	Display diagonal	10.9 cm (4.3")
Time to first page (black, normal)	9.5 s	Control type	Touch
Time to first page (colour, normal)	10.5 s	Power	
Watermark printing	✓	Power consumption (max)	585 W
Copying		Power consumption (PowerSave)	0.8 W
Duplex copying *	✓	Power consumption (printing)	585 W
Copying *	Colour copying	Power consumption (ready)	18 W
Maximum copy resolution *	600 x 600 DPI	Power consumption (sleep)	0.8 W
Copy speed (black, normal quality, A4)	35 cpm	Power consumption (off)	0.07 W
Copy speed (colour, normal quality, A4)	35 cpm	Energy Star Typical Electricity Consumption (TEC)	1.423 kWh/week
Time to first copy (black, normal)	7.6 s	AC input voltage	220 - 240 V
Time to first copy (colour, normal)	10 s	AC input frequency	50/60 Hz
Maximum number of copies	999 copies	Brand-specific features	
		HP Auto-On/Auto-Off	✓
		HP Dynamic security	✓

Copying		Brand-specific features	
Copier resize	25 - 400%	HP GTIN (EAN/UPC) with options	(ABT) 196068332471; (ABY) 196068332488; (B19) 196068323189; (BAZ) 196068332495
N-in-1 copy function	✓		
N-in-1 copy function (N=)	2	HP GTIN (EAN/UPC)	196068332471, 196068332488, 196068323189, 196068332495
ID-card copy function	✓		
Auto fit function	✓		
Scanning		System requirements	
Duplex scanning *	✗	Windows operating systems supported	Windows 10, Windows 11
Scanning *	Colour scanning	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, MacOS
Optical scanning resolution *	1200 x 1200 DPI		Windows Server 2008 R2 x64, Windows Server 2012, Windows Server 2012 R2 x64, Windows Server 2016, Windows Server 2019, Windows Server 2022
Maximum scan resolution	1200 x 1200 DPI	Server operating systems supported	
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed scanner	Mobile operating systems supported	Android, iOS
Scan technology	CIS		Other operating systems supported ChromeOS, Android, iOS
Scan to	E-mail, Software, TWAIN, WIA		
Scan speed (colour)	26 ppm		
Scan speed (black)	29 ppm		
Image formats supported	JPG, TIFF		
Document formats supported	PDF		
Input colour depth	30 bit		
Greyscale levels	256		
Scan drivers	TWAIN, WIA		
Fax		Operational conditions	
Faxing *	✗	Recommended operating temperature range (T-T)	15 - 27 °C
Features		Storage temperature (T-T)	-20 - 40 °C
Recommended duty cycle	750 - 4000 pages per month	Operating temperature (T-T)	10 - 32.5 °C
Maximum duty cycle *	50000 pages per month		
Duplex functions *	Print		
Digital sender	✓		
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow	Certification	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Page description languages	PostScript 3, PDF, PWG, URF, PCL 5e, PCL 5c, PCL 6		
Printer fonts	Scalable, TrueType		
All-In-One-multitasking	✓		
Country of origin	China		
Replacement cartridges	HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A; HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A; HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A; HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A; HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X; HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X; HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X; HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X		
HP segment	Small medium business		
Input & output capacity		Certificates	
Total number of input trays *	2		
Total input capacity *	300 sheets		
Total output capacity *	150 sheets		
Paper tray 1 input capacity	50 sheets		
Paper tray 2 input capacity	250 sheets		
Multi-Purpose tray	✓		
		Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	Blue Angel
		Carbon footprint	
		Total carbon footprint (kg of CO2e)	220
		Carbon emissions, manufacturing (kg of CO2e)	140
		Carbon emissions, logistics (kg of CO2e)	6
		Carbon emissions, end-of-life (kg of CO2e)	28
		Total carbon emissions, w/o use phase (kg of CO2e)	47
		Weight & dimensions	
		Width	421 mm
		Depth	435 mm
		Height	384 mm
		Weight	20.4 kg
		Packaging data	
		Package width	597 mm
		Package depth	497 mm
		Package height	492 mm
		Package weight	23.6 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	2000 pages

Input & output capacity		Packaging content	
Multi-Purpose tray input capacity	50 sheets	Included cartridge capacity (CMY)	1000 pages
Auto document feeder (ADF)	✓	Cables included	AC
Auto document feeder (ADF) input capacity	50 sheets	Warranty card	✓
Maximum number of input trays	3	Logistics data	
Maximum input capacity	850 sheets	Pallet gross weight	414 kg
Maximum output capacity	150 sheets	Layers per pallet	4 pc(s)
Paper handling		Products per pallet	16 pc(s)
		Technical details Box contents HP Color LaserJet Pro 4302dw Printer; 4 preinstalled HP LaserJet Toner cartridges (Black: 2,000 pages, Introductory Cyan, Magenta, Yellow: 1,000 pages); In-box documentation (Reference Guide, Setup Card, Warranty card (where required)); HP printer software is available at https://www.hp.com/support ; Power cord; USB cable. Master (outer) cases per pallet layer 4 pc(s) Compliance certificates GS mark, CCC, BCS, cUL, UL, CE, BSMI General Product Safety Regulation https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-pro-mfp-4301-4302dw-fdw-printer-series/model/38348029?sku=4RAB3F&serialnumber=4RAB3F (GPSR) URL : https://kass.hpcoud.hp.com/pdf/public/pdf_29635110_en-US-1.pdf	
Maximum ISO A-series paper size *	A4	Other features	
Maximum print size	212 x 352 mm	Number of users	10 user(s)
Paper tray media types *	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Envelopes, Labels, Rough paper, Postcard, Letterhead		
ISO A-series sizes (A0...A9) *	A4, A5, A6	Custom media sizes	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
JIS B-series sizes (B0...B9)	B6		
Custom media width	76.2 - 216 mm	Pallet dimensions (W x D x H)	1200 x 1000 x 2111 mm
Custom media length	127 - 356 mm		
Paper tray media weight	60 - 200 g/m²	Recommended system requirements	2 GB available hard disk space; Internet connection or USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port; Internet browser.
Envelope feeder	No		
Ports & interfaces		Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 15 Sequoia; Linux; Citrix; Chrome OS
Direct printing *	✓		
USB port	✓	Acoustic power emissions (ready)	Inaudible
USB 2.0 ports quantity	2		
USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1	Typical electricity consumption (TEC) number	1.423 kWh/Week (Blue Angel)
Network		UNSPSC-code	43212110
Wi-Fi *	✓	Manufacturer warranty	One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements.
Ethernet LAN *	✓		
Cabling technology	10/100Base-T(X)	Electromagnetic compatibility	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Ethernet LAN data rates	10,100,1000 Mbit/s		
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Wi-Fi Direct	✓		
Bluetooth	✓		
Mobile printing technologies	Mopria Print Service, Apple AirPrint		
Performance			
Maximum internal memory	512 MB		



0196068323189



196068323189

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.