

GIGABYTE B860 AORUS ELITE WIFI7 ICE Motherboard - Intel Core Ultra Series CPUs, 14+1+2+1 Phases VRM, up to 9200MHz DDR5, 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 7, USB 4

Brand : GIGABYTE

Product code: B860 A ELITE WF7 ICE



Product name : B860 AORUS ELITE WIFI7 ICE Motherboard - Intel Core Ultra Series CPUs, 14+1+2+1 Phases VRM, up to 9200MHz DDR5, 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 7, USB 4

- Twin Hybrid Digital 14+1+2+1 Phases 60A DrMOS VRM
- Dual Channel DDR5 4*DIMMs
- PCIe 5.0 x16 with PCIe UD Slot X & EZ-Latch Plus
- M.2 Gen5 (Up to 25110) with EZ-Latch Plus
- Fully Covered MOSFET Heatsinks/M.2 Thermal Guard(Ext.) with EZ-Latch Click
- Intel 2x2 Wi-Fi 7 160MHz with WIFI EZ-Plug
- 2.5GbE LAN, USB 4.0 Type-C, USB 3.2 Gen2 Type-C
- Q-Flash Plus

B860 AORUS ELITE WIFI7 ICE Motherboard - Intel Core Ultra Series CPUs, 14+1+2+1 Phases VRM, up to 9200MHz DDR5, 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 7, USB 4

GIGABYTE B860 AORUS ELITE WIFI7 ICE Motherboard - Intel Core Ultra Series CPUs, 14+1+2+1 Phases VRM, up to 9200MHz DDR5, 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 7, USB 4:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1851 (Socket V1)	Ethernet interface type	2.5 Gigabit Ethernet
Compatible processor series *	Intel® Core™ Ultra (Series 1), Intel Core Ultra (Series 2)	LAN controller	Realtek RTL8125
Supported processor sockets	LGA 1851	Wi-Fi *	✓
Memory		Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Supported memory types *	DDR5-SDRAM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Number of memory slots *	4	WLAN controller model	Realtek RTL8922AE
Memory slots type	DIMM	Bluetooth	✓
Memory channels	Dual-channel	Bluetooth version	5.4
ECC compatibility	ECC & Non-ECC	Features	
Supported memory clock speeds	5600,6400,9200 MHz	Motherboard chipset *	Intel B860
Supported memory clock speed (max)	9200 MHz	Audio chip	Realtek ALC897
Maximum internal memory *	256 GB	Audio output channels *	7.1 channels
Unbuffered memory	✓	Product colour	White
Maximum internal memory per slot	64 GB	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	Intel
Number of HDDs supported	4	Cooling type	Passive
Number of storage drives supported	7	Power source type	ATX
RAID support	✓	Windows operating systems supported	Windows 11 x64
RAID levels	0, 1, 5, 10	Expansion slots	
Graphics		PCI Express x16 (Gen 4.x) slots	2
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 5.x) slots	1
Maximum resolution	4096 x 2160 pixels		

Graphics		Expansion slots	
HDCP	✓	Number of M.2 (M) slots	3
DirectX version	12.0	1st M.2 largest key size	25110
Internal I/O		1st M.2 highest PCI Express generation	5.0
USB 2.0 connectors *	2	2nd M.2 largest key size	22110
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	2nd M.2 highest PCI Express generation	4.0
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	3rd M.2 largest key size	22110
Number of SATA III connectors *	4	3rd M.2 highest PCI Express generation	4.0
Front panel audio connector	✓	BIOS	
Front panel connector	✓	BIOS type *	UEFI AMI
ATX Power connector (24-pin)	✓	BIOS memory size	256 Mbit
CPU fan connector	✓	ACPI version	5.0
Number of CPU fan connectors	2	Clear CMOS jumper	✓
Number of chassis fan connectors	4	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
Number of EPS power connectors (8-pin)	2	Logistics data	
TPM connector	✓	Country of origin	China
Number of water pump connectors	2	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Number of RGB LED pin headers	4	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
USB 2.0 ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery type	CR2032
USB4 Gen 2x2 ports quantity	1	Packaging data	
Ethernet LAN (RJ-45) ports *	1	Package width	335 mm
HDMI ports quantity *	1	Package depth	270 mm
HDMI version	2.1	Package height	80 mm
DisplayPorts quantity	1	Package weight	2.49 kg
DisplayPort version	2.1	Weight & dimensions	
Headphone outputs	1	Width	305 mm
Line-in	✓	Depth	244 mm
S/PDIF out port	✓	Height	35 mm
Digital audio optical out	1	Packaging content	
WiFi-AP antenna jack	2	Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
Other features			
		Weight	2.21 kg
Technical details			
		Warranty period	3 year(s)



4719331866846

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.