

ZYXEL

Zyxel NWA110AX 1000 Mbit/s White Power over Ethernet (PoE)

Brand : Zyxel

Product code: NWA110AX-EU0102F


Product name : NWA110AX

NWA110AX, Single Pack 802.11ax AP, incl Power Adaptor, EU and UK, Unified AP, ROHS, WIFI 6
Zyxel NWA110AX. 2.4 GHz, 5 GHz, Maximum data transfer rate: 1000 Mbit/s. Security algorithms: WPA, WPA-PSK, WPA2, WPA2-Enterprise, WPA3. Ethernet LAN data rates: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Product colour: White



Features		Design	
2.4 GHz *	✓	Product colour *	White
5 GHz *	✓	On/off switch	✓
Maximum data transfer rate *	1000 Mbit/s	Reset button	✓
Maximum data transfer rate (2.4 GHz)	575 Mbit/s	WPS push button	✓
Maximum data transfer rate (5 GHz)	1200 Mbit/s	LED indicators	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna	
Frequency band	2.412 - 2.472, 5.470 - 5.725 GHz	Antenna type *	Internal
Bandwidth	0.08 GHz	Antenna features	Integrated antenna
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antennas quantity	2
		Antenna gain level (max)	6 dBi
		Polarization	Dual polarization
Cabling technology	10/100/1000Base-T(X)	Certificates	
Automatic channel selection	✓	Certification	FCC Part 15C FCC Part 15E ETSI EN 300 328 EN 301 893 LP0002 EMC
Automatic channel scanning	✓		FCC Part 15B EN 301 489-1 EN 301 489-17 EN55022 EN55024
MIMO	✓		EN61000-3-2/-3 EN60601-1-2 BSMI CNS13438 Safety Safety EN 60950-1 IEC 60950-1 BSMI CNS14336-1
MIMO type	Multi User MIMO	Weight & dimensions	
Wi-Fi Multimedia (WMM)/(WME)	✓	Width	180 mm
Fast roaming	✓	Depth	180 mm
VLAN support	✓	Height	39 mm
Virtual LAN features	SSID-based VLAN assignment	Weight	453 g
Band steering	✓	Packaging data	
Transmitting power	22 dBmW	Package width	229 mm
Receiver sensitivity	Min. Rx sensitivity up to -101 dBm	Package depth	216 mm
Security			
Security algorithms *	WPA, WPA-PSK, WPA2, WPA2-Enterprise, WPA3		

Protocols		Packaging data	
Routing protocols	IP	Package height	64 mm
IPv4 & IPv6 features	IPv4/IPv6 access-control list (ACL)	Package weight	770 g
Management features		Packaging content	
Web-based management	✓	Quantity per pack	1 pc(s)
Command-line interface (CLI)	✓	AC adapter included	✓
Ports & interfaces		Mounting kit	✓
Ethernet LAN (RJ-45) ports *	1	Quick start guide	✓
Power		Operational conditions	
Power over Ethernet (PoE) *	✓	Operating relative humidity (H-H)	10 - 95%
AC input voltage	5 - 12 V	Operating temperature (T-T)	0 - 50 °C
Input current	1.5 A	Storage temperature (T-T)	-30 - 70 °C
Power consumption (typical)	17 W	Storage relative humidity (H-H)	10 - 90%
Design		Logistics data	
Placement *	Ceiling, Table, Wall	Harmonized System (HS) code	85176990



4718937610259

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.